

STM8-SO8-DISCO

Discovery kit with STM8S001J3M3, STM8L001J3M3 and STM8L050J3M3 MCUs

Data brief

Features

- STM8S001J3M3 microcontroller featuring 8 Kbytes of Flash memory, 1 Kbyte of RAM and 128 bytes of Data EEPROM in an SO8 package
- STM8L001J3M3 microcontroller featuring 8 Kbytes of Flash memory including up to 2 Kbytes of Data EEPROM and 1.5 Kbytes of RAM in an SO8 package
- STM8L050J3M3 microcontroller featuring 8 Kbytes of Flash memory, 1 Kbyte of RAM and 256 bytes of Data EEPROM in an SO8 package
- 1 user LED
- 1 user push-button
- Individual and breakable STM8 SO8 to DIL8 module
- DIL8 socket to ease programming of the STM8 MCU
- On-board ST-LINK/V2 debugger/programmer
- Comprehensive free software libraries and examples
- Support of a wide choice of Integrated Development Environments (IDEs) including Cosmic, IAR™, Raisonance, iSYSTEM and STMicroelectronics

STM8-SO8-DISCO STM8-SO8-DISCO

1. Picture is not contractual.

The STM8-SO8-DISCO is operated by simply plugging it into a PC through a standard USB Type-A to Micro-B cable.

Description

The STM8-SO8-DISCO helps to discover features of STM8S Value Line and STM8L Value Line devices available in SO8 packages. This discovery kit offers three SO8 to DIL8 modules designed with STM8S001J3M3, STM8L001J3M3 and STM8L050J3M3 microcontrollers, and allows the user to easily develop and share applications. It includes an on-board ST-LINK/V2 to debug and program any of the embedded STM8 microcontrollers, or even an external target by means of a SWIM connector.

System requirements STM8-SO8-DISCO

System requirements

• Windows® OS (7, 8 and 10)

• USB Type-A to Micro-B cable

Development toolchains

STMicroelectronics: free STVD-STM8 (using Cosmic toolchain)

IAR™: IAR-EWSTM8
 Cosmic: free IDEA
 Raisonance: RIDE-STM8

iSYSTEM: winIDEA-STM8

Demonstration software

The demonstration software, included in the corresponding STM8 standard peripheral library package, is preloaded in the STM8S001J3M3 Flash memory for easy demonstration of the device peripherals in standalone mode. The latest versions of the demonstration source code and associated documentation can be downloaded from the www.st.com/stm8-discovery web page.

Ordering Information

To order the STM8-SO8-DISCO kit, refer to Table 1.

Table 1. Ordering information

Order code	Target STM8
	STM8S001J3M3
STM8-SO8-DISCO	STM8L001J3M3
	STM8L050J3M3

STM8-SO8-DISCO Revision history

Revision history

Table 2. Document revision history

Date	Revision	Changes
12-Jan-2018	1	Initial version
24-Jan-2018	2	Updated Development toolchains
19-Mar-2018	3	Updated documentation title, Description and Ordering Information

IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics - All rights reserved

4/4 DB3487 Rev 3