


# Data sheet

## 3134.3 AP 0/D OG



Mounting plate for direct mount to locking base system RS-SP 0. Enables profile to be mounted on mounting plates using M5 screw, colour: orange

### Business data

|                                            |               |
|--------------------------------------------|---------------|
| Article number                             | 3134.3        |
| Article name                               | AP 0/D OG     |
| GTIN (EAN)                                 | 4044211058395 |
| Packaging unit                             | 20            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 2.4 g         |
| Weight per piece (including packaging)     | 2.5 g         |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | DE            |
| Product description                        | End plate     |

# Data sheet

## 3134.3 AP 0/D OG

---

### Technical data

---

#### Dimensions

|        |         |
|--------|---------|
| Length | 46.6 mm |
| Width  | 16.5 mm |
| Height | 19 mm   |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|               |        |
|---------------|--------|
| Mounting type | Screws |
|---------------|--------|

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-01-07 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

**Media**

---

Accessories

##INVERSE##CONTA-ELECTRONICS



Extruded profile for locking base system, length: 2000 mm, lower part, width: 46.5 mm, width of PCB: 42.5 mm, colour: orange, Note: required profile length = PCB length - 4 mm

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 5675.3         | RS-SP 0 2000 mm OG | 4044211068615 | 1 M            |