



# PRODUCT CHANGE NOTIFICATION (PCN)

PCN # 5A 2023 TE Connectivity Laird External Antennas

May 15<sup>th</sup>, 2023

---

Notice: TE/Laird External Antennas would like to inform you of the following changes to the listed TE Connectivity product. In case of any further question about the change(s), please contact your TE Connectivity Sales Account Manager. Affected part numbers are listed on the sheet linked below.

---

## Description of Changes:

The part number listed on the link below will be transitioned to a new part number. Currently TE is setup to automatically cross customers that placed orders for old part numbers, but we encourage all of our customers to update this part number in their system to avoid future conflict.

## Reason for Changes:

With TE Connectivity's acquisition of Laird External Antennas, some part numbers need to be changed to conform to TE Connectivity's part numbering scheme.

---

## Effective Date:

Part number change is effective immediately.

---

## Contact Information:

Please contact your Sales Account Manager for any questions or concerns regarding this notification.

Please [Click here](#) to see the part number details.

Sincerely,

Cody Friszell  
Product Manager, Antenna  
TE Connectivity; Laird External Antennas  
[www.te.com](http://www.te.com)

Follow us



If you no longer want to receive emails from TE Connectivity click on [Unsubscribe](#)

We respect your privacy. Please take a moment to read our [Privacy Policy](#)

To ensure future delivery of emails, add [info@connections.te.com](mailto:info@connections.te.com) to your safe sender list or address book.

Also, click here to [re confirm your email subscription](#)

Unfortunately, replies to this email will not receive a personal response.

© 2023 TE Connectivity. All Rights Reserved.

TE Connectivity and TE connectivity (logo) are trademarks. Other company, product and service names may be trademarks or service marks of others. References in this e-mail to TE Connectivity products or services do not imply that TE Connectivity Corporation intends to make them available in all countries.

TE Connectivity Corporation  
1050 Westlakes Drive, Berwyn, PA, 19312, USA

# PRODUCT CHANGE NOTIFICATION (PCN)



PCN # 5A-2023 TE Connectivity Laird External Antennas

May 15th, 2023

| Item | Legacy Laird Part Number | New TE Part Number | Description                                 |
|------|--------------------------|--------------------|---------------------------------------------|
| 1    | 001-0001                 | 001-0001-L         | ANTENNA,2.4 GHZ Dipole                      |
| 2    | 001-0002                 | 001-0002-L         | ANTENNA,900 MHZ, Dipole                     |
| 3    | A150                     | A150-L             | WHIP,AB,1/4,150/174MHZ<br>157,0,CH,GP,LOW P |
| 4    | A150S                    | A150S-L            | WHIP,AB,1/4,150, 160,0,CH,GP,SPRING         |
| 5    | A450S                    | A450S-L            | WHIP, AB, 1/4, 450-470,                     |
| 6    | A8063                    | A8063-L            | WHIP,AB,OC,806-896MHz 851,3,CH,GP,          |
| 7    | A8963                    | A8963-L            | WHIP,AB,OC,896-970MHz 933,3,CH,GP,          |
| 8    | AB8063                   | AB8063-L           | WHIP,AB,OC,806-896MHZ 851,3.5,BK,GP,        |
| 9    | ABFT                     | ABFT-L             | WHIP,AB,1/4,SELECT,                         |
| 10   | AFT                      | AFT-L              | WHIP,AB,1/4,SELECT                          |
| 11   | ASB                      | ASB-L              | SUB, SHOCK SPRING BLACK                     |
| 12   | B1323                    | B1323-L            | WHIP,MC,5/8,132-174MHZ 143,3,CH,GP,         |
| 13   | B132S                    | B132S-L            | WHIP,MC,1/4,132-525MHZ, 0,CH,GP,SPG<br>F TU |
| 14   | B1443                    | B1443-L            | WHIP,MC,5/8,144-174MHZ TUN,3,CH,GP,         |
| 15   | B4503                    | B4503-L            | WHIP,MC,5/8,450-470MHZ, TUN,3,CH,GP,        |
| 16   | B7603                    | B7603-L            | WHIP,MC,5/8,760-870MHZ, 815,3<br>dB,CH,GP,  |
| 17   | BB132                    | BB132-L            | WHIP,MC,1/4,132-928MHZ TUN,0,BK,GP,         |
| 18   | BB1442NS                 | BB1442NS-L         | WHIP,MC,1/2,144-174MHZ<br>TUN,2.4,BK,NGP,SP |
| 19   | BB4502N                  | BB4502N-L          | WHIP,MC,1/2,450-512MHZ<br>TUN,2.4,BK,NGP,   |
| 20   | C144/440C                | C144-440C          | WHIP,DB,144-148/440-450M                    |

PCN # 5A-2023 TE Connectivity Laird External Antennas

May 15<sup>th</sup>, 2023

|    |                |                |                                             |
|----|----------------|----------------|---------------------------------------------|
| 21 | C144/440CS     | C144-440CS     | WHIP,DB,144-148/440-450M                    |
| 22 | C150/450C      | C150-450C      | WHIP,DB,150-174/450-470M                    |
| 23 | C150/450CS     | C150-450CS     | WHIP,DB,150-174/450-470M                    |
| 24 | C40            | C40-L          | WHIP,MC,1/4,40-47MHZ                        |
| 25 | CAP1010        | CAP1010-L      | 1.0PICO FARAD,1kV                           |
| 26 | CAP1015        | CAP1015-L      | 1.5PICO FARAD,1kV                           |
| 27 | CB144/440C     | CB144-440C     | WHIP,DB,CC,144/440MHz                       |
| 28 | CBNC58         | CBNC58-L       | CONN,BNCM                                   |
| 29 | CBNC8X         | CBNC8X-L       | CONN,BNCM FOR RG8X                          |
| 30 | CMUHF58        | CMUHF58-L      | CONN,MUHF M MUHF M FOR RG58                 |
| 31 | CN58S          | CN58S-L        | CONN,NM,                                    |
| 32 | CN8X           | CN8X-L         | CONN,NM,                                    |
| 33 | CPL9C          | CPL9C-L        | CONN,UHF M,                                 |
| 34 | CPL9S          | CPL9S-L        | CONN,UHF M,SLDR LMR400                      |
| 35 | CTNC58         | CTNC58-L       | CONN,TNCM, TNCM,CRIMP FOR RG58              |
| 36 | CTNC8X         | CTNC8X-L       | CONN,TNCM,                                  |
| 37 | CUG175         | CUG175-L       | MISCACC,ADP,UHF(PL259)                      |
| 38 | ETRAB821/18503 | ETRAB821-18503 | OMNI,PhE,NMO,821/1850MHz BK,3,100,          |
| 39 | EXB154.6BN     | EXB154-6BN     | DUCK,EXB,154.6MHz,1/4W                      |
| 40 | EXC000SM       | EXC000SM-L     | DUCK,EXC,118-480MHZ, SMAM,1/4 WV,4<br>IN,UN |
| 41 | EXL**HT        | EXLXXHT        | DUCK,EXL,Freq. tuned                        |
| 42 | EXR154.6BN     | EXR154-6BN     | Duck,EXR,154.6MHz BNCM                      |
| 43 | FG821/18503    | FG821-18503    | OMNI,DFG,821/1850MHZ 0/3dBd                 |
| 44 | FM1            | FM1-L          | MOUNT,SSUB,1-7/8 MAST                       |
| 45 | G8             | G8-L           | MOUNT,MGM,3/4,58A CHR,STD,12FT58A           |
| 46 | GB8UM          | GB8UM-L        | MOUNT,MGM,3/4,58U,MUHF M                    |

PCN # 5A-2023 TE Connectivity Laird External Antennas

May 15<sup>th</sup>, 2023

|    |                    |                  |                                              |
|----|--------------------|------------------|----------------------------------------------|
| 47 | GD5W-<br>22/26FEED | GD5W-22-26FEED-L | FEED, WB, SM/MED, Wire Grid                  |
| 48 | GM8                | GM8-L            | MOUNT, MMG, 3/4, 58A CHR, STD, 12FT58A       |
| 49 | HS34               | HS34-L           | MISCACC, HS, 3/4HOLE                         |
| 50 | HS38               | HS38-L           | MISCACC, HS, 3/8HOLE                         |
| 51 | LBMB9034           | LBMB9034-L       | MOUNT, MIR, 3/4 BLK, STD, 90DEG              |
| 52 | LBT3400            | LBT3400-L        | MOUNT, TKG, 3/4 SS, STD, L BRKT              |
| 53 | MAB8UMI16.5        | MAB8UMI16-5      | MOUNT, BMM, 3/8, 58U, MUHFM                  |
| 54 | MB8                | MB8-L            | MOUNT, BMM, 3/4, 58A STD, 17FT58A            |
| 55 | MB8UT              | MB8UT-L          | MOUNT, BMM, 3/4, 58U, TNCM<br>STD, 17FT58U   |
| 56 | MBNUT              | MBNUT-L          | MISCACC, BN, ORING                           |
| 57 | MBO                | MBO-L            | MOUNT, BMM, 3/4 STD, NO CBL/CON              |
| 58 | MOGSK              | MOGSK-L          | MISCACC, OR, 6PK 3/4                         |
| 59 | MORNG              | MORNG-L          | MISCACC, OR, 6PK .020                        |
| 60 | P34                | P34-L            | PCK, 6of 3/4in hole plugs                    |
| 61 | PCB1000            | PCB1000-L        | PCB, WHIP, EF, 400/800                       |
| 62 | PT81.67NN          | PT81-67NN        | CASSY, 58A, NM, NM                           |
| 63 | PTD0.67SMP         | PTD0-67SMP       | CASSY, Tfx, SMAM, UHFM                       |
| 64 | PTD5.3SMP          | PTD5-3SMP        | CASSY, Tfx, SMAM, UHFM                       |
| 65 | QW152              | QW152-L          | WHIP, QW, 1/4, 152-162MHz 157, 0dB, CH,<br>G |
| 66 | QW470              | QW470-L          | WHIP, QW, 1/4, 470-490MHz 480, 0dB, CH,<br>G |
| 67 | QW8063             | QW8063-L         | WHIP, QW, 5/8, 806-866MHz 836, 3dB, CH,<br>G |

PCN # 5A-2023 TE Connectivity Laird External Antennas

May 15<sup>th</sup>, 2023

|    |               |               |                                             |
|----|---------------|---------------|---------------------------------------------|
| 68 | QWB152        | QWB152-L      | WHIP, QW, 1/4,152-162MHz 157, 0dB, BK,<br>G |
| 69 | QWB406        | QWB406-L      | WHIP, QW, 1/4,406-430MHz 418, 0dB, BK,<br>G |
| 70 | QWB450        | QWB450-L      | WHIP, QW, 1/4,450-470MHz 460, 0dB, BK,<br>G |
| 71 | QWB800        | QWB800-L      | WHIP, QW, 1/4,806-896MHz 851, 0dB, BK,<br>G |
| 72 | QWFT120       | QWFT120-L     | WHIP,QW,1/4,118-970MHZ<br>544,0dBi,CH,GP,   |
| 73 | qwrc          | QWRC-L        | MISCACC, RC, MHz CH RAIN CAP NMO<br>Style   |
| 74 | QWRCB         | QWRCB-L       | MISCACC, RC, MHz CH RAIN CAP NMO<br>Style   |
| 75 | RS1000        | RS1000-L      | MOLDED, RUBBER SPRING                       |
| 76 | S             | S-L           | MISCACC, SPR                                |
| 77 | S1010         | S1010-L       | CARTON,Box 8.5x2.5x29                       |
| 78 | S1013         | S1013-L       | Tube-2in dia x 108in L                      |
| 79 | S1044         | S1044-L       | LABEL,RIBBON, White                         |
| 80 | S1138         | S1138-L       | BAG,AUTO FRT WINDOW                         |
| 81 | SB            | SB-L          | MISCACC, SPR, BLK                           |
| 82 | TRA24/49003   | TRA24-49003   | OMNI,Ph,NMO,2.4+4.9 GHz<br>WHT,3dBi,60W,    |
| 83 | TRA24/49003P  | TRA24-49003P  | OMNI,Ph,2400/4900MHZ 60W,3,                 |
| 84 | TRA806/17103  | TRA806-17103  | OMNI,Ph,NMO,806-960MHz<br>WHT,3,DB,1710-250 |
| 85 | TRA806/17103P | TRA806-17103P | OMNI,DB,PH,806-1710 3,MGM PMT               |

PCN # 5A-2023 TE Connectivity Laird External Antennas

May 15<sup>th</sup>, 2023

|    |                |                |                                             |
|----|----------------|----------------|---------------------------------------------|
| 86 | TRA821/18503   | TRA821-18503   | OMNI,Ph,NMO,821-896MHz                      |
| 87 | TRA821/18503P  | TRA821-18503P  | OMNI,DB,PH,821/1850 3,PMT                   |
| 88 | TRAB24/49003   | TRAB24-49003   | OMNI,Ph,NMO,2.4+4.9 GHz BK,3 dBi,60W,       |
| 89 | TRAB24/49003P  | TRAB24-49003P  | OMNI,Ph,2400/4900MHz BK,3 dBi,60W,          |
| 90 | TRAB806/17103  | TRAB806-17103  | OMNI,Ph,NMO,806-960MHz BK,3<br>dBi,DB,1710- |
| 91 | TRAB806/17103P | TRAB806-17103P | OMNI,DB,Ph,806-1710 3,PMT                   |
| 92 | TRAB821/18503P | TRAB821-18503P | OMNI,DB,Ph,821/1850MHz                      |
| 93 | YB4506         | YB4506-L       | YAGI,FWB,6,450-470MHz                       |
| 94 | YB8966         | YB8966-L       | YAGI,FWB,6,896-970MHz 16,9dBi,dBi           |