

 HARTING Product Termination Notification	PTN
---	------------

Business Unit: HARTING Electric

PTN/23/020/C+N-US

Product Range: Han

Date: 09/28/2023

Title: Phase Out – Various Han Heavy Duty

Details of the Product Changes

1. Concerned Part Numbers	
See appendix	
2. Description of Changes/News	
In order to optimize our portfolio and focus on relevant products, we will phase out the above mentioned products.	
3. Possible Replacement Products	
For assistance in alternative solutions, please reach out to our technical support team at techsupportUS@HARTING.com.	
4. Scheduled Date of Implementation	
1. Last order: 10/01/2024	
5. Appendix	
Materialnr.	Description
20100011213	F-SMA STECKER POF RAENDEL
20100011223	F-SMA STECKER SERCOS 6,0 (Raendel)
20100011225	F-SMA STECKER SERCOS 6,0 (Grossvp.250x)
20100011243	F-SMA STECKER.SERCOS 3.6 /RÄNDEL
20100012217	FH-ST Schnellmont. 1mm POF m. Knicksch.
20100014232	STI DIN 41626 + OPF520 POF
20100015212	SC-POF Crimpstecker ohne housing
20100015218	SC-Schnellmont. Stecker POF Knickschutz
20100017112	LWL Stecker HP-Crimpless
20100034811	3-fach Steckerhalter
20100163216	STI-HALT.16-FACH m.VA-SCHR.+Griffschale
20101011211	F-SMA 1MM POF "HOT PLATE" (6-kt.)
20101011225	F-SMA Steck Sercos6,0 "HotPl(G-Verp.250)
20101251212	F-SMA 125 GI STECKER Vollader 2,8
20101252211	FH-ST 125 GI Stecker Hohlader 3,5
20101252212	FH-ST 125 GI Stecker Vollader 2,8

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

20101255211XL	LWL 125GI SC Stecker f. Kab2,8mm VPE=100
20400034813	Diodenhalter 3-fach gerade (2xT, 1xR)
20400073821	DIODENBL.7-FACH,3*LED+3*PIND
20400073841	DIODENBL.7-FACH, 7x LED SFH757
20400163825	16-fach Diodenblock unbestückt
20660093812	LWL-D-SUB 9BU, EINLOET GERADE
20660093813XL	LWL-Dsub (9p.) Bu 2xPIN D, abgew. 50Stk
20800001022	LWL-Kupplung SC
09160243002YYC	Han 24DD-SMC-SE-CRA-ohne Befestigungssc.
09161083111YYC	Han 108DD-SMC-BE-CRA-(109-216)
09160009906	LP-ADAPTER Han DD
09160243131	Han 24DD-F-C
09161083021	Han 108 DD-STI-C Durethan
09161083121	Han 108 DD-BU-C Durethan
10160241001	MC 201 - 11 - Q05_X1
10160420001	MC 211.10 - 22 - S01 - X1
09160423004	Han 42DD-M-C mit 2 PE-Schrauben
0916042300520	Han 42DD-STI m.Befest.4,2mm o. Schrauben
09160423104	Han 42DD-F-C mit 2PE Schrauben
0916042310520	Han 42DD-Bu m.Befest.4,2mm o. Schrauben
09161083007	Han 108 DD-STI-C, BEF.BO.D.4,1MM
09161083017	Han 108 DD-STI-C SO-BEDRUCKUNG
09161083018	Han 108 DD-STI-C SO-BEDRUCKUNG
09161083117	Han 108 DD-BU-C SO-BEDRUCKUNG
09161083118	Han 108-DD-BU-C SO-BEDRUCKUNG
09160009998	LP-Adapter Han DD 2,4mm (LCP)
09210253003	Han 25D-STI-C (ohne Bef.schrauben)
10360080001	DTC 97_168_X98
10360080002	MC 262.10 - 97 - X41
10360080003	MC 262.10-97-X43
10360080004	MC 262.10 - 97 - X43
10360080005	MC 262.10 - 97 - X44
09210153002	Han 15D-STI-C
09210153102	Han 15D-BU-C
09210252603	Han 25D-STI-WW-1X1 5 lg
09210252706	Han 25D-BU (AU) WW-1X1 22LG
09210403002	Han-D40M-C ohne Bef.Schrauben
09210403102	Han-D40F-C ohne Bef.Schrauben
09210643003	Han-D64-STI M. FUEHR.STI U. BU
09210643043	Han 64 D ISK-STI-C O.BEFESTIGU
09210073005XL	Han 7D-M-c-w/o screw 50V (200 Stck.)
09210073035XL	Han 7D-M-c-w/o screw (200 Stck.)
09210073105XL	Han 7D-F-c-w/o screw 50V (200 Stck.)
09210073135XL	Han 7D-F-c-w/o screw (200 Stck.)
09360083003	Han 8D-M (Dichtung rund)
09360083005XL	Han 8D-M-c-w/o screw (200Stck.)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09360083105XL	Han 8D-F-c-w/o screw (200 Stck.)
0914000998710	Rail Guide for Sliding frame
0914016172110	Sliding frame Han 16B Floating side
0914016173110	Sliding frame Han 16B movable side
09380006190	Han 40A Axial Kontaktstift
09380006290	Han 40A Axial Kontaktbuchse
09380122713	Han K 4/8-BU, BEF.BOHR. 4,1MM
09380323002	Han K 8/24-STI-C, O.BEF.SCHR.
09380323003	Han K 8/24-STI-C,BEIDS.ERD.SCH
09380323102	Han K 8/24-BU-C, O.BEF.SCHR.
09380082612	Han K4/4-M 10-22mm ²
09380122681	Han K 6/6-M 100 AMP/16-35QMM, BEF.B. 4,1
09380122781	Han K 6/6-F 100 AMP/16-35QMM, BEF.B.4,1
09380423104	Han K6/36-F
CH09150006177	Kontaktstift-w Ø1,4 Han Brid Spannungs.
CH09150006277	Kontaktbuchse-w Ø1,4 Han Brid Spannungs.
0915000620206	Testmaterial
09150006186	Han D Einlötkontaktstift-16,8mm-Ag
09150006214	Han D-Kontaktbu-c 0,14-0,37mm ² Ag LFM
09150006224SP	Han D-SMC-BK-CRA-Au-0,14-0,37 mm ² -spez.
09150006227SP	Han D-SMC-BK-CRA-Au-0,14-0,37 mm ² -spez.
09150006298	Han D F-Kontakt LP-Adapter Ag Q12/0 3HPR
09150006397	Han D M Lötkontakt GT/SMC
09152006153	Han D Doppelstiftkontakt (Au/HMC)
09152006253	Han D Doppelbuchsenkontakt (Au/HMC)
3901000006000	KONTAKTSTIFT-C 0,75 QMM
09140006254	Han-Mod.Pneum.Kontakt-f 4mm+ventil(EPDM)
09140009804	Han Megabit Kontaktträger Bu.
09140009810	Fixierung Shielded power module Stift
09140009811	Fixierung Shielded power module Buchse
09140009979	Han-Modular Twin Wanddurchführung M4
09140009988	Han GND Entriegelungsschutz rot
09140010305	Han-Modular Compact housing (FKM seal)
09140010322	Han 1 Mod-agg-Kunststoff ECO (LCP)
09140010327	Han-Modular ECO agg IP65 schwarz
09140010424	Han-Modular ECO hood IP65 for 0,75-14mm
09140010427	Han-Modular ECO hood IP65 schwarz
09140010496	Han Modular ECO-gg IP20 (LCP)
09140010727	Han-Modular ECO KG-IP65 schwarz
09140010796	Han-Modular ECO, KG-IP20 (LCP)
09140012770	Han 1Mod-F-c 200A PE 10qmm
09140013034	Han 150A single module axial, male (set)
09140020953	Han Modular Twin angled housing
09140022706	Han 40A PCB module, female 3+N
09140022743	Han 70A axial Modul, Bu 6-16 mm ² PA
09140023009	Han Mod DO NOT USE (Rückfrage PM)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09140023053	Han 100A Crimp Modul, male (2+1)
09140023054	Han 100A Crimp Modul, male (N+3)
09140023152	Han 100A Crimp Modul, female (3+N)
09140023153	Han 100A Crimp Modul, female (2+1)
09140023154	Han 100A Crimp Modul, female (N+3)
09140032603	Han C module, male PCB adaption
09140032708	Han C PCB module female 3+N
09140033053	Han Guiding module, male, coding 3
09140033054	Han Guiding module, male, coding 4
09140033055	Han Guiding module, male, coding 5
09140033108	Han C Crimp Modul, female (3+N)
09140033109	Han C Crimp Modul, female (1+2)
09140033153	Han Guiding module, female, coding 3
09140033154	Han Guiding module, female, coding 4
09140033155	Han Guiding module, female, coding 5
09140034506	Han Pneumatic module, 4mm (PA black)
09140043043	Han CC Protected module-M-c
09140062635	Han E Quick-Lock Modul, Stift GoldTec
09140062735	Han E Quick-Lock Modul, Buchse GoldTec
09140063142	Han E Protected Modul Bu 10%GF
09140083033	Han EE Quick Lock Modul Sti ohne Kontakt
09140083133	Han EE Quick Lock Modul Bu ohne Kontakte
09140100309	Gelenkrahen 10B A-C ohne Bef.Schr.
09140161722	Sliding frame Han 16B, floating side
09140203081	Han EEE module M numbering female
09150009953	Han-Quintax Klemmring 3-6mm
09150009954	Han-Quintax Klemmring 6-9,5mm
09150043112	Han 4 Quintax Buchse, 6-9.5mm (Kegel)
09150083011	Han 8 Quintax Sti C Crimpflansch 8,1
10980000028	Han GND Promotion Kit
19140020953	Han Modular Twin angled housing M32/Blac
20990003039	Schaumeinsatz für Han Modular
29140010002	CONNEX cPot CP-LTFC16
29140010003	CONNEX cPot CP-LTFC25
29140063042	Han 6 Mod Sti-C, berühr. o. Bedruckung
29140063142	Han 6 Mod Bu-C, berührungs.o. Bedruckung
09140009930XL	Adapter module-M for D-Sub 1 cable 400St
09140009985XL	Locking Element XL Pack 500 pcs
09140010420XL	Han-Modular ECO hood IP65 noPE (pack100)
09140022653XL	Han 100A axial module, M 10-25mm² VPE200
09140023041XL	Han 70A crimp module, male (500pcs)
09140023141XL	Han 70A crimp module, female (500pcs)
09140043141XL	Han CC Protected module, crimp female
09140063101SI	Han 6Mod-F-c 16A
09140100303XL	Gelenkrahen 10B für 3 Module (A..C)
09140160303XL	Gelenkrahen 16B für 4 Module (A..D)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09140160313XL	Gelenkrahmen 16B für 4 Module (a..d)
09140241701XL	Docking Frame for 6 modules, float mount
09140241711XL	Docking Frame for 6 modules, fixed mount
09150043013XL	Han 4 Quintax Stift, 3-9.5mm VPE 400
09150043113XL	Han 4 Quintax Buchse, 3-9.5mm VPE 400
09120012661XL	Han Q1/0-Sti/Sti mit agw (sw), VPE 100
09120012662XL	Han Q1/0-Sti/Sti mit agw (rot), VPE 100
09120012751XL	Han Q1/0-Bu-Axialschraub, VPE 100
09120033161	Han Q3/0-f mit Lötanschlusskontakten
09120043152	Han Q4/0 -f- crimp-stainless steel screw
0912005300101	Han Q 5/0-M
09120063043XL	Han Q 4/2 M-c Großpack
09120080329XL	Han Q 8/0-agg (hohe Bauform)
09120080901XL	Han Q 8/0-asw-16, VPE 100 St.
09120089904	Isolierplatte
09120089906	Abschlussstecker Han Power T Mod Twin
09120123001XL	Han Q12-M-QL PE, VPE 100 St.
19120080429XL	Han Q 8/0-gg-M25, VPE 100 St.
19120080729XL	Han Q 8/0-kg-M25, VPE 100 St.
09120009908XL	Han Q7/0 2,4mm Leiterplatten Adapter
09120069902	LP-Adapter Han Q 4/2 (teilbestückt)
09120089902	Leiterplattenadapter Han Q 8/0 (teilbes)
09120129901XL	Han Q12/0 Leiterplattenadapter (VPE 100)
09120213001XL	Han Q High Density -M- 100
09120213101XL	Han Q High Density -M- 100
09120043052	Han Q4/0 -m- crimp,stainless steel screw
09120123102XL	Han Q12-F f. LP-Adapter (VPE 100)
09140023052	Han 100A Crimp Modul, male (3+N)
09320009912	Han 64EEE Brandschutzdichtung
10320102001	MC 242 - 11 - B01 - X1
10320321001	MC 97+242.2 - X72_2V
10320461001	DTC 97_115.10 - X21_1V
10320461002	DTC 97_115.10-X22_1V
10320461003	DTC 97_115.10-X23_1V
10320461004	DTC 97_115.10 - X24_1V
10320461005	DTC 97_115.10-X25_1V
10320461008	MC 97 + 242.2 - X55_2V
10320461009	MC 97 + 242.2 - X56_2V
10320461010	MC 97 + 242.2 - X57_2V
10320461011	MC 97 + 242.2 - X58_2V
10320461012	MC 97 + 242.2 - X59_2V
10320461013	MC 97 + 242.2 - X63_2V
10320462001	DTC 97_111.30 - X11_1V
10320462002	DTC 97_111.30 - X12_1V
10320462003	DTC 97_111.30 - X13_1V
10320462004	DTC 97_111.30 - X14_1V

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

10320462005	DTC 97_111.30 - X15_1V
10320462006	DTC 97_111.30 - X16_1V
10320462007	DTC 97_111.30 - X17_1V
10320462008	MC 97 + 242.2 - X62_2V
2932010315101	Han 10 EE-F-C (Wieland Nr:70.800.1053.0)
2932018315101	Han 18 EE-F-C (Wieland Nr:70.800.1853.0)
09320183044	Han 18EE-M-c ohne Befestigungsschrauben
09120009948	Adapter Harting RJ Industrial
09120009949	Gewindebuchse B-M3 DIN 16903 - MS 1
09120013071	Han Brid-Firewire-M Patchkabel
09120032711	Han Brid-RJ45 C-F-ISK
09120032780	Han Brid-RJ45 Wanddurchführung m.Schirm
09120033042	Han Brid RJ45C-M Patchkabel
09120033101	Han Brid-RJ45-F-ISK mit Buchsenstecker
09120042713	Han 4Brid-F-c + 2LWL-M-POF-crimpleless (K)
09120043003	Han 4Brid-M-c + 2LWL-M-POF-Halt.-c (K)
09120043111	Han Brid-bu-c + Kontakthalt.(crimp) (K)
09120043113	Han 4Brid-F-c+2LWL-M-POF-crimp.-Halt (K)
09120043116	Han 4Brid-F-c + 2LWL-M-HCS-Halt.-c (K)
09120062698	Han Brid-Wanddurchf+Cu-Bus Sti-c gerade
09120062798	Han Brid-Wanddurchf+Cu-Bus Bu-c gerade
0930006030160C	Han 6B housing
0930010052261C	Han 10B hood without pin(Pg)
0930010052361C	Han 10B hood without pin(Pg)
0930010054260C	Han 10B side entry hood without pin(Pg21)
0930010054360C	Han 10B side entry hood without pin(Pg29)
0930016001161C	Han 16B hood with pin(Pg)
1930010001160C	Han 10B hood without pin(Pg)
1930010001161C	Han 10B hood without pin(Pg)
1930010052761C	Han 10B side entry hood with pin(M32)
1930010053760C	Han 10B side entry hood without pin(M32)
1930016001161C	Han 16B hood with pin(M)
1930016052761C	Han 16B side entry hood with pin(M32)
1930016054660C	Han 16B side entry hood without pin(M25)
1930016054760C	Han 16B side entry hood without pin(M32)
1930024001160C	Han 24B hood without pin(Pg)
1930024001161C	Han 24B hood without pin(Pg)
09300060301LX	Han 6B-agg-LB
09300060302LX	Han 6B-agg-LB-K
09300060302MLC	Han 6B-HBM/CP-SL
09300060302SSL	Han 6B-AGG/KK-LB
09300060318LX	Han 6B-agg-LB-K
09300060447YYC	Han 6B-HTE-PG29
09300060511YYC	Han 6B-GS-21 (ohne Zwischenstutzen)
09300065422YYC	Han 6B-AK-LB-Dichtung
09300065426YYC	Han 6B-C

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09300065437YYC	Han 6B-AK-Nietbolzen
09300100222YYC	Han 10B-asg1-K-21
09300100303LX	Han 10B-agg-LB-K
09300100306YYC	Han 10B-agg
09300100318LX	Han 10B-agg-LB-K
09300100318MLC	Han 10B-agg-LB-K
09300100447YYC	Han B Hood Top Entry HC 2 Reels PG 21
09300100738YYC	Han 10B-HCC-DL
09300105421YYC	Han 10B-AK
09300160301LX	Han 16B-agg-QB
09300160306LX	Han 16B-agg-LB-K
09300160307LX	Han 16B-agg-LB
09300160311YYC	Han 16B-HBM-DL
09300160318LX	Han 16B-agg-LB-K
09300160318MLC	Han 16B-agg-LB-K AK in AL
09300160497	Han 16B split hood with 2x21mm SR
09300160738YYC	Han 16B-HCC-DL
09300240255YYC	Han 24B-asg1-LB-K-21
09300240301LX	Han 24B-agg-QB
09300240304LX	Han 24B-agg-LB-K
09300240307LX	Han 24B-agg-LB
09300240311YYC	Han 24B-HBM-DL
09300240318LX	Han 24B-agg-LB-K AK in AI
09300240318MLC	Han 24B-agg-LB-K AK in AL
09300240445YYC	Han 24B-gg-R-29 with ventilation slots
09300240497	Han split hood with mounted blind seal
09300240510YYC	Han 24B-gs-29
09300241250YYC	Han 24B-asg1-LB-21
09300242298YYC	Han 24B-asg2-LB-K-29 (AK in AI)
09300245427YYC	Han 24B-AK Cord for Pg21
09300320271MLC	Han 32B-asg2-QB-29
09300480296YYC	Han B Base SM HC plastic cover 2 x Pg36
09300482296YYC	Han 48B-asg2-LB-K-36
09301320275ML	Han L32 B-ASG1-LB-PG29
09301320276ML	Han L32 B-ASG2-LB-PG29
09301320721	Han L32 B-KG-HB-QB-PG29
09301320731ML	Han L32 B-KG-HB-LB-PG29
09302240803YYC	Han 24B HMC-g-R
09305100532	Han 10B-gs-QB-NPTF 3/4"
09305100533	Han 10B-gs-QB-NPTF 1"
09305100542	Han 10B-gs-R-NPTF 3/4"
09305100543	Han 10B-gs-R-NPTF 1"
09305160520	Han 16B-HSE-NPTF 3/4 Zoll
09305160530	Han 16B-HSE-DL-NPTF 3/4"
09305240521	Han 24B-HSE-NPTF 1 Zoll
09305240531	Han B Hood Top Entry HC 2 Levers PG 29

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09307240421YYC	Han 24B-gg-29 , sw
19300060296MLC	Han 6B-HSM2/CP-HC-SL-M25
19300060296SSL	Han 6B-ASG2/KK-HB-LB-M25
19300061142	Han 6B-GG-M32-WDF-für ZV
19300061255MLC	Han 6B-HSM1/CP-LC-SL-M20
19300061255SSL	Han 6B-ASG1/KK-NB-LB-M20
19300062255MLC	Han 6B-asg1-LB-K-M20 AK in AI
19300100436YYC	Han 10B-gg-QB-M25
19300100528YYC	Han 10B-HSE-M40
19300100597YYC	Han 10B-HTE/HSE-M32/M20
19300101431YYC	Han 10B-gg-QB-M25
19300161142	Han 16B-GG-M40-WDF-für ZV
19300161256MLC	Han 16B-HSM1/CP-LC-SL-M25
19300161256SSL	Han 16B-HSM1/CP-LC-SL-M25
19300240482YYC	Han B Hood Top Entry 2xM32 Central lever
19300240488YYC	Han 24B-HTE-CL-M40
19300320273YYC	Han 32B-HSM-HC-QB-2xM40
19300480298YYC	Han B Base surface 1 lever 2xM40
19302060446YYC	Han 6B-HMC-HTE-R-M25
19302060447YYC	Han 6B-HMC-HTE-R-M32
19302061250YYC	Han 6B-HMC-HSM1-SL-M20
19302101440YYC	Han 10B-HMC-gg-R-M20
19302160757YYC	Han 16B-HMC-kg-LB-M32
19302161251YYC	Han 16B-HMC-asg1-LB-M25
19302161441YYC	Han 16B-HMC-gg-R-M25
19302161542YYC	Han 16B-HMC-gs-R-M32
19302240447YYC	Han 24B-HMC-gg-R-M32
19302241752YYC	Han 24B-HMC-kg-LB-M32
19304160428YYC	Han 16B-gg-M40 without plating
19307101235MLC	Han 10B-HSM0-LC-DL-2xM25 bottom-black
19307160426YYC	Han B Hood Top Entry HC 4 Pegs M25 black
74093001008010	Han 10B-H-2xM20
74093902408011	Han 24B-HTE-M32*2
74193001012701	Modification from 193000101270
74193001602320	19300160232 add 2xM25 at top entry
74193001602710	Han B Base Surface HC 2 Levers 2x M25
74193001605283	19300160528 add M32 at top entry
74193001605284	19300160528 add M40 at top entry
74193002405280	19300240528 add M32 at top entry
74193002405281	19300240528 add M40 at top entry
19300100272MLC	Han 10B-asg2-QB-M32
19300100488YYC	Han 10B-gg-ZV-M40
19300100586YYC	Han 10B-gs-ZV-M25
09300102296YYC	Han 10B-asg2-LB-MK-16
09300162298YYC	Han 16B-asg2-LB-K-29(AK in AI?)
09300009977	FLANSCHGUMMIDICHTUNG Han 10B

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09000005432	Han 24B-LB-3mm-Niro + 2 Schrauben
09300009929	Nietbolzen für Han B (VPE: 100 Stk)
09300009931	Nietbolzen für KG
09300060313	Han 6 B-agg-LB (mit Bohrg. f. Bez.-Sch.)
09300060322	Han 6B-agg-LB - 2 mm Dichtung
09300060511	Han 6B-GS-21 (ohne Zwischenstutzen)
09300060545	Han 6B-GS2-21
09300060802	Han 6B-g
09300061545	Han 6B-gs-16
09300061591	Han 6B-gg/gs-LC für LB -2xPg13,5
09300061706	Han 6B-Andockrahmen 35mm-ohne Schrauben
09300061755	Han 6B-kg-oben offen
09300062297ML	Han 6B-asg2-LB-K-21
09300065419	Han Andockrahmen Kappe 6B - Schnur
09300065422	Han 6B-AK-LB-Dichtung
09300065426	Han 6B-AK
09300100308ML	Han 10B-agg-LB FKM Dichtungen
09300100313	Han 10B-agg-K
09300100322	Han 10B-agg-QB - 2mm Dichtung
09300100326	Han 10B-agg-LB ohne Flanschdichtung
09300100435	Han 10B-gg-QB-29
09300100450	Han 10B-gg2-R-13.5
09300100511	Han 10B-gs-21
09300100738	Han 10B-kg-QB
09300101275	Han 10B-asg2-QB-16-9
09300101296ML	Han 10B-asg2-LB-K-16
09300102221	Han 10B-asg1-K-16
09300102264	Han 10B-asg2-K-16 (AK in Al / FPM)
09300105408	Han 10B-AK-Kunst. m. 4 Zapfen Schnur
09300105413	Han 10B Kappe Kunststoff/QB/AGG, ASG, KG
09300105419	Han Andockrahmen Kappe 10B - Schnur
09300105421	Han 10B-AK o. Schnur
0930010CU10	Han 10B DL Hood Customizing
0930010CU11	Han 10B DL Hood Customizing
0930010CU12	Han 10B DL Hood Customizing
09300160304	Han 16B-agg-QB ohne Dichtung
09300160310XL	Han 16B-agg-VPE 20
09300160312ML	Han 16B-agg-QB (ausgefräste Fläche)
09300160315ML	Han 16B-agg-LB-K (AK in AL) rot
09300160322	Han 16B-agg-QB - 2 mm Dichtung
09300160382	Han 16B-agg-ZV RAL 9002 (grauweiss)
09300160410	Han 16B-gg-29
09300160411	Han 16B-gg-21
09300160533	Han 16B-gs-QB-29
09300161702	Han 16 B-KG-Andockrahmen
09300162205ML	Han 16B-asg2-LB-K-21 (Ak in Al) rot

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09300164731	Han 16B-kg-RB
09300165408	Han 16B-AK-Kunst. m. 4 Zapfen Schnur
09300165419	Han Andockrahmen Kappe 16B - Schnur
0930016CU01	Han 16 B standard CUSTOMISING
0930016CU02	Han 16 B standard CUSTOMISING V02
0930016CU04	Han 16 B standard CUSTOMISING V04
0930016CU10	Han 16B DL Hood Customizing
0930016CU11	Han 16B DL Hood Customizing
0930016CU12	Han 16B DL Hood Customizing
09300240211ML	Han 24B-asg4-QB-29 (2xPg29 im Boden)
09300240212	Han 24B-asg2-R-21 (f. Kupplungsgeh.)
09300240305ML	Han 24B-agg-QB (o. Logos)
09300240310XL	Han 24B-agg-VPE 15
09300240322	Han 24B-agg-QB - 2 mm Dichtung
09300240334	Han 24 B-agg-LB-K
09300240411	Han 24B-gg-21
09300240429	Han 24B-gg-QB-21
09300240444	Han 24B-gg-29 (o. Verriegelungszapfen)
09300240485	Han 24B-gg-ZV-29 (ohne Zwischenstutzen)
09300240511	Han 24B-gs-21
09300240526	Han 24B-gs-36
09300240585	Han 24B-gs-ZV-29 ohne Zwischenstutzen
09300241211ML	Han 24B-asg1-QB-21 (FKM-Dichtung)
09300241280	Han 24B-asg2-R-21 (f. Zentralbuegel)
09300241290ML	Han 24B-asg2-LB-21
09300241298	Han 24B-asg2-LB-K-21
09300241543	Han 24B-gs-R-21
09300241670	Han 24B-gw2-QB-21
09300241705	Han 24B-Andockrahmen f. HC-fixed
09300242255ML	Han 24B-asg1-LB-K-21-ML
09300245407	Han 24B-AK-Kunst. m. Zapfen u. Schnur
09300245408	Han 24B-AK-KUNST MIT SCHNUR
09300245419	Han Andockrahmen Kappe 24B - Schnur
09300245427	Han 24B-AK-NIETBOLZEN
0930024CU02	Han 24 B standard CUSTOMISING V02
0930024CU10	Han 24B DL Hood Customizing
0930024CU11	Han 24B DL Hood Customizing
0930024CU12	Han 24B DL Hood Customizing
09300320736	Han 32B-kg-QB-36
09300480313	Han 48B-agg-LB-K (ohne Nocken)
09300480331	Han 48M-agg o. Nocken,Feder, LB/m. KK
09300480332	Han 48M-agg o. Nocken,Feder, LB/m. KM
09300480333	Han 48B-agg o. Nocken/m. LB, KK
09300480338	Han 48B-agg-LB/ KM mit Zapfen
09304160307	Han 16 B-agg-LB
09304240301	Han 24 B-AGG-QB

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	--	--

09307100305	Han 10B-AGG-schwarz-LB
09307105407	Han® 10B AK Plastik für AGG/ASG schwarz
09307160270	Han 16B-asg2-QB-21 sw
09307160440	Han 16B-gg-R-21 schwarz
09307160441	Han 16B-gg-R-29 , sw
09307160531	Han 16B-gs-QB-29 , sw
09307161308	Han 16B-agg-LB-K-IP67-schwarz
09307320301	Han 32 B-agg-QB, schwarz
09360009950	NYLONSCHNUR MIT KABELSCHUHEN
09370480448	Han 48M-GG4-21
10000005214	Bügel Han 10/16/24B Metall
10000005230	Umrüstsatz Han Easy Lock f. Han 24B
10000005276	Bügel Han 16B-ZV
19300060503	Han 6B-gg/gs2-M20/M20/M10
19300061700ML	Han 6B-kg-LB-M20 (rot)
19300100001	Han-Drive Gehäuse Set
19300100667	Han 10B-gw-M32
19300100747	Han 10B-kg-M32 ohne Bügel
19300101201	Han 10B-asg2-K-M20 (ohne Dichtung)
19300101295ML	Han 10B-asg2-LB-K-M20-ML
19300101521XL	Han 10B-gs-M25 VPE 100
19300160459	Han 16B-gg-M50-weiß
19300160508	Han 16B-gs-M40-HB-genietete Zapfen
19300160588	Han 16B-gs-R-M32 - grauweiss RAL 9002
19300160626	Han 16B-gw-M25
19300160766	Han 16B-kg2-LB-K-M25 m. Flanschbefestig.
19300161421XL	Han 16B-gg-M25 (VPE 50)
19300161503	Han 16B-gs-R-M25 (Geh. weiss)
19300161767	Han 16B-kg-K-2xM25
19300162206ML	Han 16B-asg2-LB-K-M25 (Ak in Al) rot
19300240402	Han 24B-gg-M40 ohne Logo
19300240418	Han 24B-gg-ZV-M40 (Bauhöhe 86mm)
19300240459	Han 24B-gg-M50 breit für QB
19300240559	Han 24B-gs-M50 breit für QB
19300240582	Han 24B-gg/gs-ZV-M40
19300240583	Han 24B-gs-ZV-M40
19300240701ML	Han 24B-kg-QB-M40
19300241206	Han 24B-asg2-M25 Snap Cap
19300241234ML	Han 24B-asg-QB-M32-ML
19300241235ML	Han 24B-asg-QB schmal Flansch w. 2xM25
19300241256ML	Han 24B-asg1-LB-K-M25-ML
19300241522XL	Han 24B-gs-M32 VPE 60
19300247257ML	Han 24B-asg1-LB-K-M32 (AK in Al)
19302240527	Han 24B HMC-TGS-HB-für QB-M32
19304160487	Han 16B-gg-ZV-M32-ohne Oberfläche
19304161521	Han 16B-gs-M25 (unpowdered)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19307160528	Han 16B-gs-M40 schwarz
19307240428	Han 24B-gg-M40 schwarz
19307240447	Han 24B-TGG-schwarz-HB-f. LB-1xM32
19307240528	Han 24B-gs-M40 schwarz
19307240547	Han 24B-TGS-schwarz-HB-f. LB-1xM32
19307241291	Han 24B-ASG-schwarz-NB-LB-2xM25
19307241541	Han 24B-TGS-schwarz-NB-f. SL-1xM25
19308101421	Han 10B-GS-LC-M25-DL- matt schwarz
C300000000000000	Han® 24 B TG HC QB RUN3
C300000000000001	Han® 24 B TG HC QB Y596
C300000000000002	Han® 16 B TG HC QB CQ4M
C300000000000003	Han® 16 B TG HC QB 1IO5
C300000000000004	Han® 16 B TG HC QB 026X
C300000000000006	Han® 24 B TG HC QB K4J8
C300000000000007	Han® 16 B TG HC QB HHIN
C300000000000008	Han® 24 B TG HC QB B678
C300000000000009	Han® 24 B TG HC QB 7JFC
C300000000000010	Han® 16 B TG HC QB U0BL
C300000000000011	Han® 10 B TG HC QB WFYJ
C300000000000012	Han® 6 B TG HC LB DVOP
C300000000000013	Han® 24 B TG HC QB 8Q6F
C300000000000014	Han® 24 B TG HC QB SQQA
C300000000000016	Han® 24 B TG HC QB GG5R
C300000000000017	Han® 16 B TG HC QB HU97
C300000000000021	Han® 24 B TG HC QB D29C
C300000000000023	Han® 24 B TG HC QB I1S7
C300000000000024	Han® 16 B TG HC QB O707
C300000000000025	Han® 24 B TG HC QB TY6C
C300000000000026	Han® 16 B TG HC QB 1S8Q
C300000000000027	Han® 24 B TG HC QB XXJQ
C300000000000028	Han® 24 B TG HC QB UMRE
C300000000000029	Han® 24 B TG HC QB ZLUH
C300000000000030	Han® 24 B TG HC QB HDXL
C300000000000031	Han® 24 B TG HC QB BLVM
C300000000000032	Han® 24 B TG HC QB H7TA
C300000000000033	Han® 24 B TG HC QB Q0O2
C300000000000034	Han® 24 B TG HC QB TJEM
C300000000000035	Han® 16 B TG HC QB 8R2O
C300000000000040	Han® 24 B TG HC QB 02FQ
C300000000000050	Han® 24 B TG HC LB N59S
C300000000000051	Han® 24 B TG HC QB 3C79
C300000000000052	Han® 16 B TG HC QB B59C
C300000000000053	Han® 24 B TG HC QB ET4N
C300000000000055	Han® 24 B TG HC QB MD8R
C300000000000056	Han® 24 B TG HC QB V3YZ
C300000000000062	Han® 24 B TG HC LB JA61

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C300000000000063	Han® 24 B TG HC QB 30DB
C300000000000064	Han® 16 B TG HC QB GU28
C300000000000065	Han® 24 B TG HC QB 2CH5
C300000000000066	Han® 24 B TG HC QB USNZ
C300000000000067	Han® 24 B TG HC QB 5352
C300000000000068	Han® 24 B TG HC QB A0BA
C300000000000070	Han® 24 B TG HC QB PC19
C300000000000071	Han® 16 B TG HC QB GJAP
C300000000000080	Han® 24 B TG HC QB Z0T5
C300000000000081	Han® 10 B TG HC QB IROT
C300000000000090	Han® 16 B TG HC QB 49NO
C300000000000091	Han® 16 B TG HC QB 3V6E
C300000000000092	Han® 24 B TG HC QB NRI5
C300000000000093	Han® 24 B TG HC QB GK02
C300000000000100	Han® 24 B TG HC QB IDNU
C300000000000110	Han® 16 B TG HC QB PQKT
C300000000000111	Han® 24 B TG HC QB O39F
C300000000000112	Han® 24 B TG HC QB VJGF
C300000000000113	Han® 24 B TG HC QB V8XP
C300000000000114	Han® 24 B TG HC QB XKGQ
C300000000000117	Han® 16 B TG HC QB RO55
C300000000000118	Han® 10 B TG HC LB ZXXR
C300000000000119	Han® 24 B TG HC QB WQAI
C300000000000120	Han® 10 B TG HC QB ICXK
C300000000000121	Han® 24 B TG HC QB 2FEK
C300000000000122	Han® 16 B TG HC QB EMYB
C300000000000123	Han® 10 B TG HC QB B4IL
C300000000000124	Han® 16 B TG HC QB CJAL
C300000000000130	Han® 16 B TG HC QB O693
C300000000000131	Han® 16 B TG HC QB R7I5
C300000000000132	Han® 16 B TG HC LB GQMR
C300000000000140	Han® 16 B TG HC QB 7W61
C300000000000142	Han® 10 B TG HC QB 8BxB
C300000000000143	Han® 24 B TG HC QB LY7B
C300000000000144	Han® 24 B TG HC LB C25N
C300000000000145	Han® 24 B TG HC QB RW4R
C300000000000146	Han® 6 B TG HC LB XJM6
C300000000000147	Han® 24 B TG HC QB QOS5
C300000000000148	Han® 16 B TG HC QB 3PVV
C300000000000149	Han® 24 B TG HC QB F6LB
C300000000000150	Han® 24 B TG HC QB ZDWO
C300000000000151	Han® 24 B TG HC QB 7K4S
C300000000000152	Han® 24 B TG HC QB SI93
C300000000000153	Han® 10 B TG HC QB 7O2Y
C300000000000154	Han® 16 B TG HC QB DV78
C300000000000155	Han® 24 B TG HC LB 2HL9

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C300000000000156	Han® 10 B TG HC QB COZK
C300000000000157	Han® 10 B TG HC LB LGP4
C300000000000158	Han® 6 B TG HC LB TG85
C300000000000159	Han® 24 B TG HC QB GTA6
C300000000000160	Han® 24 B TG HC QB VIRS
C300000000000161	Han® 24 B TG HC QB 1SEV
C300000000000162	Han® 6 B TG HC LB IIMW
C300000000000163	Han® 10 B TG HC QB CAGY
C300000000000164	Han® 6 B TG HC LB 7I2E
C300000000000165	Han® 16 B TG HC QB CXQ0
C300000000000166	Han® 24 B TG HC QB X5IU
C300000000000167	Han® 24 B TG HC QB 3IRL
C300000000000168	Han® 16 B TG HC QB XNJ5
C300000000000169	Han® 16 B TG HC QB 6MUG
C300000000000170	Han® 16 B TG HC LB V8PP
C300000000000171	Han® 24 B TG HC QB 3HZA
C300000000000172	Han® 6 B TG HC LB ZBJ5
C300000000000173	Han® 24 B TG HC QB V7CR
C300000000000174	Han® 10 B TG HC QB UTUN
C300000000000175	Han® 24 B TG HC QB QQAX
C300000000000180	Han® 16 B TG HC QB KC6S
C300000000000181	Han® 24 B TG HC QB HTJ4
C300000000000182	Han® 24 B TG HC QB LNZ6
C300000000000190	Han® 24 B TG HC QB X73E
C300000000000191	Han® 24 B TG HC LB BPM4
C300000000000196	Han® 24 B TG HC QB 3BCE
C300000000000197	Han® 24 B TG HC QB QW7J
C300000000000198	Han® 16 B TG HC QB 36LL
C300000000000199	Han® 16 B TG HC QB S62B
C300000000000200	Han® 16 B TG HC LB IUK0
C300000000000201	Han® 24 B TG HC QB 0AEG
C300000000000202	Han® 24 B TG HC QB VU9D
C300000000000203	Han® 10 B TG HC QB FYLA
C300000000000204	Han® 24 B TG HC QB RIOB
C300000000000205	Han® 24 B TG HC QB 804U
C300000000000206	Han® 24 B TG HC QB UGTN
C300000000000207	Han® 24 B TG HC QB ZDVG
C300000000000210	Han® 24 B TG HC QB L9YV
C300000000000212	Han® 10 B TG HC QB IDNC
C300000000000213	Han® 24 B TG HC QB NY5R
C300000000000214	Han® 16 B TG HC LB T1D2
C300000000000215	Han® 16 B TG HC LB D7ZF
C300000000000216	Han® 10 B TG HC LB LJGN
C300000000000220	Han® 10 B TG HC LB NUKC
C300000000000223	Han® 24 B TG HC QB QSF9
C300000000000225	Han® 24 B TG HC QB GHGV

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C300000000000230	Han® 24 B TG HC QB 1W3K
C300000000000231	Han® 6 B TG HC LB IHXD
C300000000000232	Han® 10 B TG HC QB TBUE
C300000000000233	Han® 6 B TG HC LB VQLT
C300000000000234	Han® 16 B TG HC QB A10C
C300000000000235	Han® 16 B TG HC QB NZHM
C300000000000236	Han® 24 B TG HC LB LOFE
C300000000000237	Han® 16 B TG HC QB 3ZXJ
C300000000000238	Han® 6 B TG HC LB HLU7
C300000000000239	Han® 24 B TG HC LB OXOD
C300000000000240	Han® 16 B TG HC QB FSNG
C300000000000241	Han® 16 B TG HC QB NIO4
C300000000000242	Han® 24 B TG HC QB TOG0
C300000000000243	Han® 24 B TG HC QB RXVC
C300000000000244	Han® 24 B TG HC QB 8UDL
C300000000000245	Han® 24 B TG HC QB 8UMH
C300000000000246	Han® 24 B TG HC QB QJHN
C300000000000247	Han® 24 B TG HC LB I7FM
C300000000000248	Han® 24 B TG HC LB UU8R
C300000000000249	Han® 10 B TG HC LB LCQ3
C300000000000250	Han® 16 B TG HC QB IT18
C300000000000251	Han® 16 B TG HC QB 81M8
C300000000000252	Han® 24 B TG HC QB YKRA
C300000000000253	Han® 24 B TG HC QB ZW2L
C300000000000255	Han® 24 B TG HC QB B3BA
C300000000000256	Han® 16 B TG HC QB LNK5
C300000000000260	Han® 24 B TG HC LB 4P8O
C300000000000261	Han® 6 B TG HC LB 18PV
C300000000000262	Han® 10 B TG HC LB LH2W
C300000000000270	Han® 24 B TG HC QB JTPH
C300000000000271	Han® 24 B TG HC QB FS5I
C300000000000272	Han® 24 B TG HC QB 14Q2
C300000000000273	Han® 16 B TG HC LB BNQK
C300000000000280	Han® 16 B TG HC LB U3F3
C300000000000281	Han® 10 B TG HC QB H57F
C300000000000282	Han® 24 B TG HC QB PM6T
C300000000000283	Han® 24 B TG HC QB P2BH
C300000000000284	Han® 24 B TG HC QB 1MCB
C300000000000285	Han® 24 B TG HC QB YT83
C300000000000286	Han® 24 B TG HC QB GMS3
C300000000000287	Han® 24 B TG HC QB ZZ5E
C300000000000288	Han® 24 B TG HC QB 2I4Q
C300000000000289	Han® 24 B TG HC LB A4YC
C300000000000290	Han® 10 B TG HC QB GN47
C300000000000291	Han® 24 B TG HC QB WTGR
C300000000000293	Han® 16 B TG HC QB T6EF

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C30000000000300	Han® 16 B TG HC QB 1KX6
C30000000000311	Han® 10 B TG HC LB PN10
C30000000000312	Han® 24 B TG HC QB TEDG
C30000000000314	Han® 24 B TG HC QB ZMQY
C30000000000315	Han® 24 B TG HC QB SWLR
C30000000000316	Han® 24 B TG HC QB X30K
C30000000000320	Han® 24 B TG HC QB 7LGR
C30000000000323	Han® 24 B TG HC QB 9LO6
C30000000000324	Han® 24 B TG HC QB VHFZ
C30000000000325	Han® 24 B TG HC QB G4WO
C30000000000326	Han® 24 B TG HC QB 5PFS
C30000000000327	Han® 24 B TG HC QB KKT3
C30000000000328	Han® 24 B TG HC QB BY4J
C30000000000329	Han® 24 B TG HC QB 7HxD
C30000000000330	Han® 24 B TG HC QB M21B
C30000000000331	Han® 24 B TG HC QB JAFG
C30000000000333	Han® 24 B TG HC LB ESZT
C30000000000340	Han® 10 B TG HC LB XI1W
C30000000000351	Han® 10 B TG HC QB YBYH
C30000000000352	Han® 24 B TG HC QB AVHG
C30000000000360	Han® 16 B TG HC LB QJMO
C30000000000361	Han® 10 B TG HC QB P5M0
C30000000000362	Han® 24 B TG HC QB BS1A
C30000000000363	Han® 24 B TG HC QB DFT9
C30000000000364	Han® 6 B TG HC LB ICLO
C30000000000370	Han® 16 B TG HC QB O3TC
C30000000000371	Han® 16 B TG HC QB S7D2
C30000000000372	Han® 24 B TG HC QB BVHI
C30000000000373	Han® 10 B TG HC LB XTL8
C30000000000375	Han® 24 B TG HC QB 147E
C30000000000376	Han® 16 B TG HC QB QUC6
C30000000000380	Han® 16 B TG HC QB 4GNX
C30000000000390	Han® 16 B TG HC QB FM0L
C30000000000392	Han® 16 B TG HC QB 6RGH
C30000000000395	Han® 6 B TG HC LB QN8J
C30000000000396	Han® 6 B TG HC LB HTU1
C30000000000398	Han® 10 B TG HC QB AX2K
C30000000000399	Han® 24 B TG HC QB 5BCZ
C30000000000400	Han® 16 B TG HC LB M9KY
C30000000000401	Han® 24 B TG HC LB GM0H
C30000000000402	Han® 16 B TG HC LB O924
C30000000000405	Han® 24 B TG HC QB DIAF
C30000000000409	Han® 6 B TG HC LB NLI2
C30000000000420	Han® 16 B TG HC QB L5AH
C30000000000421	Han® 24 B TG HC LB ZHCG
C30000000000431	Han® 6 B TG HC LB 1Q5G

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C30000000000433	Han® 24 B TG HC QB 0SQD
C30000000000434	Han® 6 B TG HC LB 393X
C30000000000435	Han® 10 B TG HC QB 8V9A
C30000000000436	Han® 6 B TG HC LB LXQO
C30000000000437	Han® 24 B TG HC QB 9I3U
C30000000000438	Han® 24 B TG HC QB Q0ZG
C30000000000439	Han® 24 B TG HC LB 999P
C30000000000440	Han® 24 B TG HC QB CAMG
C30000000000441	Han® 24 B TG HC QB FCR1
C30000000000442	Han® 10 B TG HC LB QU2Z
C30000000000444	Han® 24 B TG HC QB 210A
C30000000000445	Han® 6 B TG HC LB 6RVQ
C30000000000450	Han® 6 B TG HC LB Z1KY
C30000000000451	Han® 24 B TG HC LB M8UY
C30000000000452	Han® 24 B TG HC QB FSEM
C30000000000460	Han® 16 B TG HC LB QP18
C30000000000461	Han® 24 B TG HC LB JH37
C30000000000462	Han® 24 B TG HC QB 1J8L
C30000000000464	Han® 10 B TG HC LB X7B3
C30000000000465	Han® 10 B TG HC LB WMY6
C30000000000471	Han® 16 B TG HC QB EL9O
C30000000000472	Han® 6 B TG HC LB B4G9
C30000000000473	Han® 16 B TG HC QB SGCQ
C30000000000474	Han® 6 B TG HC LB PDMG
C30000000000475	Han® 16 B TG HC QB 13Y4
C30000000000476	Han® 10 B TG HC LB P0CO
C30000000000477	Han® 6 B TG HC LB CSQD
C30000000000480	Han® 24 B TG HC QB LXTZ
C30000000000483	Han® 24 B TG HC QB N4LA
C30000000000484	Han® 16 B TG HC QB 8IQL
C30000000000485	Han® 10 B TG HC QB 8BT4
C30000000000486	Han® 24 B TG HC QB 7EEF
C30000000000490	Han® 10 B TG HC QB YYWN
C30000000000492	Han® 24 B TG HC QB 6196
C30000000000495	Han® 10 B TG HC LB 6POA
C30000000000496	Han® 10 B TG HC QB Y2ED
C30000000000497	Han® 24 B TG HC QB U0DT
C30000000000498	Han® 16 B TG HC QB EFGU
C30000000000499	Han® 24 B TG HC QB 5H8L
C30000000000500	Han® 24 B TG HC QB Y8KB
C30000000000501	Han® 24 B TG HC LB 52DB
C30000000000502	Han® 24 B TG HC LB 3Z18
C30000000000503	Han® 24 B TG HC LB 63WW
C30000000000505	Han® 6 B TG HC LB N9K8
C30000000000506	Han® 24 B TG HC QB 3F6K
C30000000000507	Han® 24 B TG HC QB LR7I

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C300000000000508	Han® 24 B TG HC QB U3UF
C300000000000509	Han® 24 B TG HC QB AHTV
C300000000000510	Han® 6 B TG HC LB IP4E
C300000000000511	Han® 16 B TG HC QB 8NXF
C300000000000512	Han® 16 B TG HC QB V4IK
C300000000000513	Han® 16 B TG HC LB YXTX
C300000000000514	Han® 16 B TG HC QB ES8L
C300000000000515	Han® 24 B TG HC QB NLWZ
C300000000000516	Han® 24 B TG HC QB XFYP
C300000000000517	Han® 10 B TG HC QB MA7A
C300000000000518	Han® 10 B TG HC QB SIG5
C300000000000519	Han® 10 B TG HC QB MXIS
C300000000000520	Han® 24 B TG HC LB CT10
C300000000000521	Han® 24 B TG HC QB QMPA
C300000000000522	Han® 24 B TG HC LB Lfv8
C300000000000523	Han® 16 B TG HC QB JFE4
C300000000000525	Han® 24 B TG HC QB 1FE4
C300000000000526	Han® 16 B TG HC QB L044
C300000000000527	Han® 10 B TG HC QB 4C5W
C300000000000528	Han® 6 B TG HC LB B9DD
C300000000000529	Han® 16 B TG HC QB LORJ
C300000000000530	Han® 24 B TG HC LB VG7Z
C300000000000531	Han® 16 B TG HC QB 8UX4
C300000000000532	Han® 16 B TG HC LB G0BE
C300000000000533	Han® 16 B TG HC QB ELT8
C300000000000535	Han® 10 B TG HC LB TZ5O
C300000000000536	Han® 10 B TG HC LB QFBC
C300000000000538	Han® 24 B TG HC QB KP0H
C300000000000539	Han® 16 B TG HC QB CR4T
C300000000000540	Han® 16 B TG HC QB G2O0
C300000000000541	Han® 10 B TG HC QB 91B4
C300000000000542	Han® 24 B TG HC QB CKPB
C300000000000543	Han® 24 B TG HC QB SUNQ
C300000000000544	Han® 16 B TG HC QB GNBG
C300000000000545	Han® 10 B TG HC LB 2ARC
C300000000000546	Han® 6 B TG HC LB V18P
C300000000000547	Han® 10 B TG HC LB YTF8
C300000000000549	Han® 6 B TG HC LB GCRI
C300000000000550	Han® 24 B TG HC QB 2DHS
C300000000000551	Han® 24 B TG HC QB 5HWZ
C300000000000552	Han® 24 B TG HC QB GAD8
C300000000000553	Han® 24 B TG HC QB A71R
C300000000000554	Han® 10 B TG HC LB AT2J
C300000000000555	Han® 6 B TG HC LB G4IC
C300000000000556	Han® 24 B TG HC QB VD21
C300000000000560	Han® 24 B TG HC QB UH98

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C300000000000561	Han® 10 B TG HC LB JJMB
C300000000000562	Han® 10 B TG HC LB YJTK
C300000000000563	Han® 16 B TG HC LB 1XQI
C300000000000564	Han® 10 B TG HC LB AQUN
C300000000000565	Han® 16 B TG HC QB NQKT
C300000000000567	Han® 16 B TG HC QB 296F
C300000000000568	Han® 24 B TG HC QB R9JV
C300000000000569	Han® 6 B TG HC LB 41XX
C300000000000570	Han® 16 B TG HC QB 8XAU
C300000000000571	Han® 10 B TG HC QB ZZW6
C300000000000572	Han® 24 B TG HC QB IKV3
C300000000000574	Han® 16 B TG HC LB WZ22
C300000000000576	Han® 10 B TG HC QB 16CK
C300000000000577	Han® 24 B TG HC QB 18M9
C300000000000578	Han® 16 B TG HC LB TU7A
C300000000000579	Han® 16 B TG HC LB TU7A
C300000000000580	Han® 24 B TG HC LB WOJ8
C300000000000582	Han® 16 B TG HC LB SUSA
C300000000000583	Han® 24 B TG HC QB V3Y9
C300000000000584	Han® 16 B TG HC QB KYQJ
C300000000000586	Han® 6 B TG HC LB 3XPB
C300000000000589	Han® 10 B TG HC LB 7Y02
C300000000000590	Han® 10 B TG HC QB 6K7T
C300000000000591	Han® 16 B TG HC QB RU8W
C300000000000592	Han® 10 B TG HC QB Y0CD
C300000000000593	Han® 24 B TG HC LB SGTO
C300000000000594	Han® 24 B TG HC LB B4K6
C300000000000596	Han® 6 B TG HC LB KQ9Q
C300000000000597	Han® 10 B TG HC LB SLX7
C300000000000598	Han® 24 B TG HC QB IL8Z
C300000000000599	Han® 24 B TG HC QB XRYA
C300000000000600	Han® 16 B TG HC QB D19H
C620000000000000	Han® 10 B TG HC QB MTVG
C620000000000010	Han® 24 B TG HC QB D8X3
C620000000000020	Han® 10 B TG HC QB M7DU
C620000000000030	Han® 10 B TG HC QB 9VZ6
C620000000000040	Han® 6 B TG HC LB B78S
C620000000000041	Han® 6 B TG HC LB VA2A
C620000000000050	Han® 10 B TG HC QB YFZM
C620000000000060	Han® 10 B TG HC QB W6I6
C620000000000070	Han® 10 B TG HC QB EI26
C620000000000071	Han® 10 B TG HC QB 1F1V
C620000000000080	Han® 10 B TG HC QB ORBF
C620000000000090	Han® 24 B TG HC QB 5LA7
C620000000000100	Han® 10 B TG HC QB LRQ7
C620000000000101	Han® 10 B TG HC QB G6TA

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

C62000000000110	Han® 24 B TG HC QB NU7A
C62000000000120	Han® 10 B TG HC QB 5DJU
C62000000000123	Han® 24 B TG HC QB F3KS
C62000000000124	Han® 10 B TG HC QB UHS7
C62000000000127	Han® 10 B TG HC QB DHBB
C62000000000128	Han® 6 B TG HC LB IU1P
C62000000000130	Han® 24 B TG HC QB MQDF
C62000000000131	Han® 16 B TG HC QB 6PF3
C62000000000132	Han® 10 B TG HC LB 7P04
C62000000000134	Han® 24 B TG HC QB JBMX
C62000000000135	Han® 10 B TG HC QB 4L0L
C62000000000136	Han® 10 B TG HC QB B6Y8
C62000000000137	Han® 24 B TG HC QB D545
C62000000000138	Han® 24 B TG HC QB XZN0
C62000000000139	Han® 10 B TG HC LB OONB
C62000000000140	Han® 24 B TG HC QB 4IX3
C62000000000141	Han® 10 B TG HC QB CIWK
HAN_B_HOOD_CONF	Ihr individuelles Gehäuse
HAN_B_HOOD_TEMP	Template material for HAN_B_HOOD_CONF
HAN_B_HOUS_CONF	HAN B Anbauseite Konfigurator
10310061001	Han-KIT 6HsB-agg-ML
10310062002	MC 11 - T01 - X20_2V
09310062601XL	Han 6 HSB-STI XL packaging - 165 parts
09310062653	Han 6 HSB-STI RYTON R4 Sonderbestückung
09310062691	Han 6 HSB-STI-S
0931006269110	Han 6 HSB-STI-S
09310062701XL	Han 6 HSB-BU XL packaging 165 parts
09310062791	Han 6 HSB-BU-S
09000005613	Befestigungsschraube f. Schraubadapter
09000005615	PE-Klemmschraube M4 m. Fächerscheibe
09320465753	Han 46 EE-VV-BU-CRIMP (AU)
09330009810	LP-Adapter Han EE Modul f. SEW A-Box
09330009812	Han 32EE-F PCB-matrix m.Kontakte
09330009813	Han 6E Mod-M PCB-matrix m.Kontakte
09330009815	Han 32EE-M PCB-matrix m.Kontakte
09330009871	Han 16A-M PCB Adapter (halogenfrei)
09330009872	Han 16A-F PCB Adapter (halogenfrei)
09330009873	Han 6E Mod-M PCB Adapter (halogenfrei)
0933000990500	Han 10 E PRUEFSTECKER
09330009907	Han 24 E PRUEFSTECKER
09330009938	FUEHRUNGSBUCHSE Han E/D
09330062620	Han 6 ES-M (Zugentl.gew.)
09330062648XL	Han 6ES Press - M (VPE 40)
09330062748XL	Han 6ES Press - F (VPE 40)
09330102648XL	Han 10ES Press - M (VPE 40)
09330102748XL	Han 10ES Press - F (VPE 40)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09330102792	Han 10E-bu-C o. Befest.schraube, VPE 250
09330162620	Han 16ES-M (m.Zugentl.winklig)
09330162629	Han-E 16 M-C-SO
09330162648XL	Han 16ES Press - M (VPE 20)
09330162688MT	Han 16ES Press-M (17-32) (PU 4)
09330162688XL	Han 16ES Press-M (17-32 in VPE 20)
09330162720	Han 16ES-F (Zugentl.gewinkelt)
09330162788MT	Han 16ES Press-F (17-32) (PU 4)
09330162788XL	Han 16ES Press - F (17-32 in VPE 20)
09330242603	Han 24 E STI-C alt
09330242607	Han 24E-sti-s mit Blindnieten
09330242613	Han 24 E STI-C alt 25-48
09330242620	Han 24ES-M (Zugentl.gewinkelt)
09330242636	Han 24E-STI-C M.LG. ZUGENTL.SC
09330242648XL	Han 24ES Press - M (VPE 20)
09330242662	Han 24E-STI-C 25-48 RYTON
09330242688MT	Han 24ES Press - M (25-48) (PU 3)
09330242688XL	Han 24ES Press - M (25-48)(VPE 20)
09330242690	Han 24 E-STI-S, M.BLINDNIETMUTTERN
09330242748XL	Han 24ES Press - F (VPE 20)
09330242788MT	Han 24ES Press - F (25-48) (PU 3)
09330242788XL	Han 24ES Press - F (25-48)(VPE 20)
10000001000	connectors-set - 3EGM049799-9901
10000001001	Connector:UD-X1, socket ECC,+42.10,Moto*
10000001002	Connector:UD-X2,socket ECC,+42.10,Motor*
10000001003	Connector UD-X3,socket ECC,+42.10,Motor
10000001004	Connector UD-X4,socket ECC,+42.10,MC
10000001005	Connector UD-X5,socket ECC,+42.10,Motor*
10000001006	Connector UD-X6,Socket ECC,+42.10,Motor*
10000001007	Connector UD-X7, socket ECC,+42.10,Moto*
10000001008	Connector UD-X8,socket ECC,+42.10,Motor*
10000001009	Connector UD-X9,socket ECC,+42.10,Motor*
10000001010	Connector UD-X10,socket ECC,+42.10,Moto*
10000001011	Connector:UD-X51,socket ECC,+42.10,Moto*
10000001012	+Connector:UD-X52,socket ECC,+42.10,Moto
10000001013	+Connector:UD-X53,socket ECC,+42.10,Moto
10000001014	Connector:UD-X56,socket ECC,+42.10,Moto*
10000001015	Connector:HE-A2-X57, SOCK ECC,+42.10,Mo*
10000001016	Connector:UD-X58,Socket ECC,+42.10,Moto*
10000001017	connector:UD-X76,Socket ECC,+42.10,Moto*
10000001018	Connector:UD-X71,Socket ECC,+42.10,Moto*
10000001019	Connector:UD-X72,Socket ECC,+42.10,Moto*
10000001020	Connector:UD-X73,Socket ECC,+42.10,Moto*
10000001021	Connector UD-X74,Socket ECC,+42.10,Moto*
10000001022	Connector UD-X75,Socket ECC,+42.10,Moto*
10000001024	+Connector UD-X71, plug ECC filter side

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

10000001025	Connector UD-X65, Housing ECC,+42.10,Mot*
10000001026	Connector UD-X65, Hood ECC,+42.10,Motor*
10000001027	Connector UD-X1 Plug ECC,42.10, MC
10000001028	Connector UD-X2 ,Plug ECC,+42.10,MC
10000001029	Connector UD-X3 - Plug ECC,+42.10, MC
10000001030	Connector UD-X4,Plug ECC,+42.10,Motor C*
10000001031	Connector UD-X5 Plug ECC,+42.10,Motor C*
10000001032	Connector UD-X6, Plug ECC,+42.10,Motor *
10000001033	Connector UD-X7 Plug ECC,+42.10,Motor C*
10000001034	Connector UD-X8 Plug ECC,+42.10,Motor C*
10000001035	Connector UD-X9, Plug ECC,+42.10,Motor *
10000001036	Connector UD-X10,Plug ECC,+42.10,Motor *
10000001037	Connector UD-X51, Plug ECC,+42.10,Motor*
10000001038	Connector UD-X52, Plug ECC,+42.10, Moto*
10000001039	Connector UD-X53 Plug ECC,+42.10,Motor
10000001040	Connector UD-X56, Plug ECC,+42.10,Moto*
10000001041	Connector UD-X58. Plug ECC,+42.10,Moto*
10000001042	Connector UD-X76. Plug ECC,+42.10,MC
10000001043	Connector UD-X71 Plug ECC,+42.10,Motor*
10000001044	Connector UD-X72, Plug ECC,+42.10,Motor*
10000001045	Connector UD-X73, Plug ECC,+42.10,Moto*
10000001046	Connector UD-X74, Plug ECC,+42.10,Moto*
10000001047	Connector UD-X75 Plug ECC,+42.10,Motor*
10000001048	Connector FD-A1-X01,plug TCC,+42.30,Mot*
10000001049	Connector FD-A1-X02, plug TCC,+42.30,Mot*
10000001050	Connector FD-A1-X05,plug TCC,+42.30,Mot*
10000001051	Connector FD-A1-X06, plug TCC,+42.30,Mot*
10000001052	Connector FD-A1-X07,plug TCC,+42.30,Mot*
10000001053	Connector FD-A1-X08,plug TCC,+42.30, M*
10000001054	Connector FD-A1-X10,plug TCC,+42.30,Mot*
10000001055	Connector HB-A1-X11,plug EDC,+52.10,Mot*
10000001056	Connector HB-A1-X12,plug EDC,+52.10,Mot*
10000001057	Connector HB-A1-X13,plug EDC,+52.10,Mot*
10000001058	Connector HB-A1-X14,plug EDC,+52.10,Mot*
10000001059	Connector UD-X15,plug EDC,+52.10,Motor *
10000001060	Connector FB-T1-X1,plug Transformer,+77*
10000001061	Connector FB-T1-X2,plug Transformer,+77*
10000001062	Connector UD-X71, Plug EWP
10000001063	Connector UD-X72, Plug EWP
10000001064	Connector UD-71,plug Shunting Desk,+11,*
10000001065	Connector UD-X72,plug Shunting desk,+1*
10000001066	Connector LB-A1-X1, Plug +01, RMVU
10000001067	Connector LB-A2-X1, Plug
10000001068	Connector GB-A1-X2,plug Panto control b*
10000001069	Connector B72-X1,plug Level Sensor,+52.*
10000001070	Connector FD-M01-X81 socket,TM1,+92.10,*

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

10000001071	Connector FD-M01-X91 socket, TM1, +92.10, *
10000001072	Connector FD-M02-X82 socket, TM2, +92.20, *
10000001073	Connector FD-M02-X92 Socket, TM2, +92.20, *
10000001074	Connector FD-M03-X83 socket, TM3, +91.10*
10000001075	Connector FD-M03-X93 Socket, TM3, +91.10, *
10000001076	Connector FD-M04-X84 Socket, TM4, +91.20*
10000001077	Connector FD-M04-X94 Socket, TM4, +91.20, *
10000001078	Connector UD-X71, Plug Primary MVB, CRW(*
10000001079	Connector UD-X72, Plug +15.10, CRW, DTC
10000001080	Connector UD-X73, Plug +15.10, CRW, DTC
10000001081	Connector UD-X74, Plug +15.10, CRW, DTC
10000001082	Connector UD-X1 Plug +15.10, CRW, DTC
10000001083	Connector UD-X2 Plug +15.10, CRW, DTC
10000001084	Connector UD-X10 Plug +15.10, CRW, DTC
10000001085	Connector UD-X71, Socket +11, DD, DTC
10000001086	Connector UD-X72 Plug +11, DD, DTC
10000001087	Connector UD-X1, Plug +11, DD, DTC
10000001088	Connector UD-X2, Plug +11, DD, DTC
10000001089	Connector UD-X3, Plug +11, DD, DTC
10000001090	Connector UD-X4, Plug +11, DD, DTC
10000001091	Connector UD-X5, Plug +11, DD, DTC
10000001092	Connector UD-X11, Plug +15.10, CRW, DTC
10000001093	Connector UD-X7, Plug +11, DD, DTC
10000001094	Connector UD-X51, Plug +11, DD, DTC
10000001095	Connector UD-X74, Plug +11, DD, DTC
10000001096	Connector UD-X9, Plug +11, DD, DTC
10000001097	Connector UD-X73, Plug +11, DD, DTC
10000001098	Connector JG-M1-X1, Plug +17, Wiper Mo*
10000001099	Connector JG-M2-X1, Plug +17, Wiper Mo*
10000001100	Connector JG-M3-X1, Plug +11, Washer P*
10000001101	Connector GT-T01-X1, Plug +91.10, APC Re*
10000001102	Connector UD-X71, Socket +83.30, PP, DTC
10000001103	Connector UD-X72, Socket +83.30, PP, DTC
10000001104	Connector UD-X3, Plug +15.10, CRW, DTC
10000001105	Connector UD-X4, Plug +15.10, CRW, DTC
10000001106	connector UD-X5, Plug +15.10, CRW, DTC
10000001107	Connector UD-X6, Plug +15.10, CRW, DTC
10000001108	Connector UD-X7, Plug +15.10, CRW, DTC
10000001109	Connector UD-X8, Plug +15.10, CRW, DTC
10000001110	Connector UD-X51, Plug +15.10, CRW, DTC
10000001111	Connector UD-X9, Plug +15.10, CRW, DTC
10000001112	Connector UD-X75, PLUG Train MVB, EWP, *
10000001113	Connector UD-X71, Socket EWTP, TC1/TC2/*
10000001114	Connector UD-X72, Socket EWTP, TC1/TC2/*
10000001115	Connector UD-X71, Socket PP, TC1/TC2/ND*
10000001116	Connector UD-X72, Socket PP, TC1/TC2/N*

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

10000001117	Connector UD-X71,Plug EWTP, TC1/TC2/NDTC
10000001118	Connector UD-X72,Plug EWTP, TC1/ TC2/ND
10000001119	Connector LB-A1-X1, Plug +01, RMVU
10000001120	Connector LB-A2-X1, Plug
10000001121	Connector UD-X71, Plug EWP, TC1 & TC2
10000001122	Connector UD-X71, Plug EWP, TC1 & TC2
10000001123	Connector:UD-X71,Socket ECC to filter,+*
10000001124	Connec.:+42.10-UD-X81:ECC Sock:+52.10-H*
10000001125	Connector UD-X8, Plug
10000001126	Connec.:+42.10-UD-X81:ECC
10140031001	X30 HPR 6 B modular
10140041002	X50 HPR 16 B modular
10140042001	Assembled Connector X21
10140141001	X10 Assembled Connector
10140142001	X43 HPR 10 B modular
10140241001	X70 HPR 6 B modular
10300100001	Kit Han 10B/42DD
10300160001	Han-Kit 16B agg-gg-72DD
10320182001	X31 HPR 10 B EE
10330242001	MC 11-T1-X12_2V
10330242002	MC 11 - T1 - X13_2V
10330242003	MC 11 - T1 - X14_2V
10330242004	MC 11 - T01 - X16_2V
10330242005	MC 11 - T01 - X17_2V
10960242601	Han-KIT, 64EMV HP Hood
09330062675	Han 6 ESS-STI (AU)
09330242673	Han 24 ESS-STI (25-48)
09330242773	Han 24 ESS-BU (25-48)
09338242695	Han High Temp 24E-s Stiff - Sonderbest.
09340030204	Han 3HvE-asg2-LB-16
09340030302	Han 3HvE-agg-K
09340030305	Han 3HvE-agg-LB
09340030703	Han 3HvE-kg-LB-16
09340060205	Han 6HvE-asg2-LB-21
09340060307	Han 6HvE-agg-LB
09340060703	Han 6HvE-kg-LB-21
09340100202	Han 10HvE-asg2-K-21
09340100402	Han 10HvE-gg-QB-29
09340100701	Han 10HvE-kg-QB-29
19340030265	Han 3HvE-asg2-K-M20
1934003073100	Han 3HvE-kg-QB-M25
1934006073200	Han 6HvE-kg-QB-M32
19360101440	Han 10B Ex-gs-M20 f. LB
19360101441	Han 10B Ex-gs-M25 f. LB
19360101540	Han B Side Entry LC M20 Exi_for SL
19360101541	Han B Side Entry LC M25 Exi_for SL

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19360161441	Han 16B Ex-gg-M25 f. LB
19360161442	Han 16B Ex-gg-M32 f. LB
19360161541	Han B Side Entry LC M25 Exi_for SL
19360161542	Han B Side Entry LC M32 Exi_for SL
7400000000018	Dummy P/N for Han 6Exi UL sample
10361080010	Han Ex UL 8D Set
09370031750YYC	Han M Hood Coupler 1 Lever PG 11
09370061540YYC	Han M Hood Side Entry LC 2 Pegs PG 13.5
09370101421YYC	Han M Hood Top Entry LC 4 Pegs PG 16
09370160302YYC	Han M Base Panel 2 Levers Thermoplastic
09370160311YYC	Han M Base Panel 2 Levers Special gasket
09370160521YYC	Han M Hood Side Entry 4Pegs PG29
09370241421YYC	Han M Hood Top Entry LC 4 Pegs Pg 29
09370250252YYC	Han 25M-asg1-LB-21
09370250301YYC	Han M 16A-HBM-SL
09370250442YYC	Han 25M-gg-21
09370250542YYC	Han 25M-gs-21
19370031750YYC	Han 3M-kg-QB-M20
19370100427YYC	Han 10M-HTE- 4 pegs-M32
19370101270YYC	Han M Base Surface LC 2 Levers 2xM20
19370160428YYC	Han M Hood Top Entry HC 4 Pegs M40
19370160466YYC	Han 16M-HTE-HC 4 Pegs 2xM25
19370160587YYC	Han 16M-gs-ZV-M32
19370161231YYC	Han M Base Surface LC 2 Levers 1x M25
19370250506YYC	Han 25M-gs-M25 NBR Dichtung
09370031640YYC	Han 3M-HA-Pg 11
09370480301YYC	Han 48M Base Panel 1 Lever Cover
09370005102	Ms-Verschraubung-SKV 13,5 vernickelt
09370005103	Ms-Verschraubung-SKV 16 vernickelt
09370030307	Han 3M-agg-QB (1mm Dichtung)
09370060297	Han 6M-asg2-LB-K-21
09370060381	Han 6M-agg-ZV
09370060801	Han 6M-g
09370100304	Han 10M AGG Easy Lock schwarz
09370100381	Han 10M-agg-ZV
09370100460	Han 10M-gg2-13,5
09370100543	Han 10M-gs-29
09370105423	Han 10M-AK Metall TG mit Schnur
09370150303	Han 15M-agg-LB, Moosgummi
09370151541	Han 15M-gs-16
09370160281	Han 16M-asg2-R-29
09370160304	Han 16M-agg (Moosgummidichtung)
09370160480	Han 16M-gg-ZV-21
09370160481	Han 16M-gg-ZV-29
09370160580	Han 16M-gs-ZV-21
09370160581	Han 16M-gs-ZV-29

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09370161220	Han 16M-asg1-K-21
09370240281	Han 24M-asg2-R-29
09370240480	Han 24M-gg-ZV-21
09370240581	Han 24M-gs-ZV-29
09370251441	Han 25M-gg-16
09370480292	Han 48M-asg2-LB-29 (1Blindst./Zusatzver)
09370480317	Han 48M-agg-LB-K (Metallkappe)
19370060487	Han 6M-gg-ZV-M32
19370100299	Han 10M ohne Bügel, Kappe, Lagerbock
19370100488	Han 10M-gg-ZV-M40
19370150250	Han 15M-asg1-LB-M20
19370150546	Han 15M-gs-M25
19370160292	Han 16M-asg2-LB-M32
19370160488	Han 16M-gg-ZV-M40
19370160597	Han 16M-gg/gs-M32
19370160669	Han 16M-gw2/gs1-M25/PG9
19370240407	Han 24M-gg2-M32/M16
19370240575	Han 24M-gg/gs-QB-M32/M20
19370240577	Han 24M-gg/gs-QB-M20/M32
19370240597	Han 24M-gg-M50/gs-M25
19370240737	Han 24M-kg-QB-M32
29370061541	Han 6M-gs-M25 (Pieper-Logo)
09370030302	Han 3M-agg-QB
09370030332	Han 3M-agg-QB
09397009901	Han 6HP Direct FPM Dichtungsset
09397009902	Han 10HP Direct FPM Dichtungsset
09397009903	Han 16HP Direct FPM Dichtungsset
09397009904	Han 24HP Direct FPM Dichtungsset
19620160558	Han 16HP/EMV-WDF-M40-GS
29390160448	Han 16HP HTE M40 with center screws
09390060507	Han 6HP-gs-29
09390100801	Han 10HP-g
09390160301	Han 16HP-agg (sw gepulvert)
09390160507	Han 16HP-GS-29
09390240302	Han 24HP Anbaugehaeuse schwarz
09390240506	Han 24HP-gs-21
09390240801	Han 24HP-G
19390160408SP	Han 16HP-gg-M40
19390160542	Han 16HP-gs-M32
19390160547	Han 16HP-gs-M32 schwarz
19390160548	Han 16HP-gs-M40
19390160548SP	Han 16HP-gs-M40
19390240418	Han 24HP-gg-M40 schwarz
09620031443YYC	Han A Hood Top Entry PG 11 for Han Brid
09628060442YYC	Han EMC/B 6 Hood Top Entry PG 21
09628061441YYC	Han EMC/B 6 Hood Top Entry PG 16

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09628062301LX	Han 6EMC/B-HBM-SL-LX
09628062301ML	Han 6EMC/B-HBM-SL-ML
09628065425YYC	Han 6EMV/B-AK-Nietbolzen
09628102301LX	Han 10EMC/B-HBM-DL-LX
09628102301ML	Han 10EMC/B-HBM-DL-ML
09628102301XL	Han 10EMV/B-AGG-QB-VPE 125
09628105425YYC	Han 10EMV/B-AK
09628160801YYC	Han 16EMC/B-w/o openings (HT)
09628162301LX	Han 16EMC/B-HBM-DL-LX
09628162307LX	Han 16EMC/B-HBM-SL-LX
09628165425YYC	Han 16EMC/B-AK-Riveted bolt
09628241421YYC	Han EMC/B 24 Hood Top Entry PG 29
09628242301ML	Han 16EMC/B-HBM-DL-ML
19628160529YYC	Han 16EMC/B-HTE2/HSE-M20/M32 (HT)
19628241141	Han 24EMV/B-TGS-M32-WDF-QB
09620031641	Han 3EMV-gw-13,5
09620100481	Han 10EMV-gg-ZV-21
09620100544	Han 10EMV-GS-29 GEH. Inbusschraube SW5
09620150489	Han 15 EMV-GG-9/13,5
09620480302	Han 48EMV-agg-LB-K, schwarz
09620640277	Han 64EMV-asg2-29+1xPg29 im Boden
09620640385	Han 64EMV-agg-R für ZV
09620640388	Han 64EMV-agg-R für ZV
09620640399	Han 64EMV/M-agg-ZV-sw
09620640461	Han 64EMV-gg2-29
09620640471	Han 64EMV-gg2-ZV-29
09620640547	Han 64EMV-gs-21
09620640580	Han 64EMV-gs-ZV-21
09628061302	Han 6EMV/M-agg-LB IP67 schwarz
09628065426	Han 6EMV/B-AK Nietbolzen
09628100302	Han 10EMC/B-HBM-DL-schwarz
09628100304	Han 10EMV/B-agg-LB
09628100381	Han 10EMV/B-agg-R
09628160307ZM	Han 16EMV/B-agg-LB
09628160311	Han 16EMV/B-agg-QB-grau
09628160312	Han 16EMV/B-agg-LB-K-grau
09628161270	Han 16EMV/B-asg2-QB-21
1962003144010	Han 3EMV-gg-M20 - VPE 100 unverpackt
1962003175010	Han 3EMV-kg-QB-M20 - VPE 100 unverpackt
19620060462	Han 6EMV/M black-gg3-R-M12
19620100448	Han 10 EMV/M black-gg-R-M40
19620151501	Han 15EMV-gs-M20, grau
19620240418	Han 24EMV/B-gg-ZV-M40 (h=86mm)
19620400612	Han 40EMV-TGG/TGS2-SV-M25/2xM32-schwarz

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	--	--

19620400617	Han 40EMV-TGG2/TGS-SV-2xM25/M32-schwarz
19620400667	Han 40EMV-TGG/TGS-SV-M25/M32-schwarz
19620480402	Han 48EMV-gg4-R-M25 - schwarz
19620640484	Han 64EMV-TGG-M50-ZV-schwarz
19620640489	Han 64EMV-gg2-ZV-M32-sw
19628060447XL	Han 6EMV/B-gg-M32 (HT) (VPE 125)
19628100446XL	Han 10EMV/B-gg-R-M25 (VPE 100)
19628100587	Han 10EMV/B-gs-ZV-M32
19628160210	Han 16EMV/B-asg2-QB-M40
19628160430	Han 16EMV/B-gg/gs-M32 (HT)
19628161541ZM	Han 16EMV/B-gs-R-M25
19628240003	Han 24EMV/B-gs-M32/gg2-M25 (HT)
19628240447	Han 24EMV/B-TGG-HB-für LB-M32
19628240461	Han 24EMV/B-gg-M40/M16 (HT)
19628240475	Han 24EMV/B-gg3-M20 (HT)
19628241271ML	Han 24EMV/B-asg2-QB-M25 Metallbügel
19628480468	Han 48EMV/B-TGG2-HB für LB-M40
09200030821YYC	Han 3A-AGW-QB Viton-Dichtung
09200031221YYC	Han 3A-ASG-QB-11 (FKM-Dichtung)
09200101501YYC	Han A Hood Side Entry LC 2 Pegs PG 16
09200160203	Han 16A HSM-SL
09200160291MLC	Han 16 A-asg2-LB-16
09200160294YYC	Han 16 A-asg2-LB-16 o. Adapter
09200320261YYC	Han 32A-asg2-K-29
09200320271MLC	Han 32A-asg2-QB-29
09200320301MLC	Han A Base Panel 2 Lever
09200320303YYC	Han 32A-AGG
09200320306YYC	Han 32A-agg
09200320312YYC	Han 32 A-agg-QB
09200320381YYC	Han A Base Panel for Central Level
09200320430YYC	Han 32 A-gg-QB-21
09200320581YYC	Han 32A-gs-ZV-29
09200325411	Han 32A-Kappe (M3) m. Schnur (Plastik)
09200325412	Han 32A-AK Metall- m. Niro-Schnur
09207030811	Han 3A-agw-QB schwarz
09620030803YYC	Han 3EMV-AGW-QB (Edelstahl)
19200030102XL	Han 3A-EG-M20 VPE100
19200160211YYC	Han 16A-HSM-HC 1 Lever 1xM25
19200160251XLC	Han 16A-asg1-LB-M25 - VPE 100
19200160291MLC	Han 16A-HSM2-SL-M25
19200160296MLC	Han 16A-HSM2-SL-C-M25
19200161548YYC	Han 16A-gs-M20
19200320262YYC	Han 32A-asg2-K-M32
19207031445	Han 3A-gg-M25 schwarz
19620031255YYC	Han 3EMV-ASG-QB-M20 (mit Nirobügel)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09000005239	Kunststoffb. Han 16A-schw (VPE=350Stck)
09000005402	Han 3A Metallbuegel (1 Buegel+2 Nietb.)
09000005406	Bolzen f. Han 3M-Bügel (1000 VPE)
09000005407	Edelstahlbügel f. Han 3M (500 VPE)
09200009927	Halteblech für Han3A Rückwandmontage
09200009938	Han 16A-asg-Dichtung (Geh.Unterseite)
09200009940	Profile seal for Han 3A cover
09200009974	Han 3A Montagerahmen
09200009998	Fixierte Anbauegehäuse-Dichtung Han 10A
09200100391	Han 10A-agg
09200101542	Han 10A-gs-16 oben abgeschliffen
09200101547	Han 10A-gs-16
09200102812XL	Han 10A-BU-S VPE 340
09200160012	Han 16A-TG abgefräst
09200160213	Han 16 A-asg-LB
09200160214	Han 16A-asg1-LB
09200160215	Han 16A-HSM1-SL-16 mit Ø16
09200160443	Han 16A-gg-16
09200160681	Han 16A-gw2-16
09200165426	Han 16A/25EMV-AK-Niro-Schnur
09200320271ML	Han 32A-asg2-QB-29
09200320303	Han 32A-AGG
09200320306	Han 32A-agg
09200325405ML	Han 32A-Blech-AK (f. Metallbuegel)
09204031750	Han 3A-kg-QB-11 (ohne Oberfl.)
09207160301	Han 16A-agg-LB , sw
09207160440	Han 16A-gg-16 , sw
09207160441	Han 16A-gg-21 , sw
09207160541	Han 16A-gs-21 , sw
09207161730	Han 16A-KG-NB-LB-Pg16-sw
09360009918	FLANSCHGUMMIDICHTUNG Han 64 U
09360009938	FLANSCHGUMMID.Han 64 U, 5 MM
10000001023	+Connector UD-X1,Socket ECC to filter,+4
10120031001	Han-Brid RJ45C Kit Stift
10200012003	Han 3A USB-Kit
10200030002PG	Han-KIT-A3GK
10200030003PG	Han-KIT-A3WM
10200030005PG	Han-KIT-A3WSM
10970091001	DTC 174.10_25_T11.AS_X4
10970091007	DTC 115.10-24-T01.X4
10970091008	MC 242.10-24-T01-X2
10970252001	MC 242-43-B01-X1
19200030412XL	Han 3A-gg-kurz - VPE 150
19200030414	Han 3A gg (4mm) mit Dichtung
19200030419	Han 3A-gg (9-17mm) sw + Dichtung
19200031254	Han 3A-ASGW-QB-M20 Flansch geschl., grün

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19200031256	Han 3A-ASGW-QB-M20 Flansch geschl., rot
19200031442	Han 3A-GG-M20-weiß
19200100296ML	Han 10A-asg2-LB-K-M20
19200101548	Han 10A-gs-M20
19200160211	Han 16A-asg1-LB-M25
19200160296ML	Han 16A-asg2-LB-K-M25
19200161540XL	Han 16A-gs-M20 VPE 120
19204031421	Han 3A-gg-M25 o. Oberfläche
19207320232	Han 32A-ASG-schwarz-HB-QB-1xM32
19207320427	Han 32A-TGG-schwarz-HB-f. QB-1xM32
29120033020	Cable Side Set 3.5sq
29120033021	Cable Side Set 5.5sq
29120033022	Motor Side Set 3.5sq
29120033023	Motor Side Set 5.5sq
09200030321	Han 3A-agg-QB FKM
09200030429	Han 3A-GG-PG11 DURETHan
09200030629	Han 3A-GW-PG11 DURETHan
09200032618	Han 3A-Sti mit IP67 Dichtschaube
09200035454	Han 3A-AK-QB (schwarz) KU
09200042618	Han 4A-Sti mit IP67 Dichtschaube
09200102622	Han 10A-STI-S (KONTAKTE Au)
09200102816	Han 10A-SMC-BE-SCA-AG-o. Befest.schraube
09200102822	Han 10A-BU-S (KONTAKTE Au)
09200103005	Han 10A-sti-c ohne HARTING-Logo
09200103105	Han 10A-bu-c ohne HARTING-Logo
09200163105	Han 16A-bu-c ohne HARTING-Logo
19200030708	Han 3A-KG-QB-M20 (schwarz) KU
09700142616	Staf 14-sti-s w/o contact 4/14
09700142812	STAF 14 FE-L (o. Befest.schrauben)
09700142813	STAF 14 FE-S
21090010208	StiftBuchsenkontakt 30 mm galvanisiert
09300100902ML	Han 10B-agw-LB
09300100988	Han 10B-agw-LB-105 (VPE100)
09300100989	Han 10B-agw-LB-125 (VPE100)
09300100994	Han 10B-agw-LB-64-M12
09300100997	Han 10B-agw-LB-64 (VPE 100)
09300100998	Han 10B-agw-LB-105
09300100999	Han 10B-agw-LB-125
0930410090102	Han 10B-agw-LB-68
0930410095102	Han 10B-agw-LB-68
09304100974	Han 10B-agw-LB-AK-70
09307100901	Han 10B-agw-LB-68 - schwarz
09628100975	Han 10EMV/B-agw-LB-73
09628100991	Han 10EMV/B-agw-64-Siemens (VPE100)
09628100992	Han 10EMV/B-agw-105 (VPE 100)
09628100993	Han 10EMV/B-agw-125-Siemens (VPE 100)

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09628100994	Han 10EMV/B-agw-64-M12-Siemens
09628100995	Han 10EMV/B-agw-64-M12-Siemens (VPE 100)
09628100997	Han 10EMV/B-agw-64-Siemens
09628100998	Han 10EMV/B-agw-105-Siemens
09628100999	Han 10EMV/B-agw-125-Siemens
09930100931	Han 10B-agw-QB-85X95
09330005101XL	Han E-Kontaktstift-Ag-LMC
09330005106	Han E-LMC-SK-Ag-CRA-3,0 mm ² / 12 AWG
09330006188	Han E Doppelkontakt Sti/Bu (Au)
09330006204XL	Han E-Kontaktbuchse-c Ag 1,5 mm ² 2000St.
09330006204XS	Han E-SMC-BK-CRA-1,5 mm ² /16 AWG-AG-50 ST
09330006257	Han E-Kontaktbuchse-c Ag 0,14 mm ² /AWG26
09330006328	Han E M GT Relay Cont. 0,14-0,37/(21,2)
09330006390	Han E-Sti-Kontakt (AU) Kupfer-Lötpin
09330006505	Han E Einlötkontaktstift-11,5mm-Ag
09330006506	Han E Einlötkontaktstift-16,3mm-Ag
09332006180	Han E HMC Doppelkontakt M für LP-Adapter
09338006124	Han E HighTemp male relay cont. 0,75mm ²
38330006102	Han Sino E contact m AG 2,5 mm ²
38330006104	Han Sino E contact m AG 1,5 mm ²
38330006105	Han Sino E contact m AG 1,0 mm ²
38330006107	Han Sino E contact m AG 4,0 mm ²
38330006114	Han Sino E contact m AG 0,75 mm ²
38330006121	Han Sino E contact m Ag 0,5 mm ²
38330006202	Han Sino E contact f AG 2,5 mm ²
38330006204	Han Sino E contact f AG 1,5 mm ²
38330006205	Han Sino E contact f AG 1,0 mm ²
38330006207	Han Sino E contact f AG 4,0 mm ²
38330006214	Han Sino E contact f AG 0,75 mm ²
38330006220	Han Sino E contact f AG 0,5 mm ²
38330006404	Han Sino E contact f AU 1,5 mm ²
09320006105XL	Han C M Crimpkontakt 2,5 mm ² Ag-SMC
09320006107XL	Han C M Crimpkontakt 4 mm ² Ag-SMC
09320006145	Han C-Kontaktstift-c 2,5qmm m. Iso-kuppe
09320006191	Han C-male contact slotted, Ag
09320006198	Han C-Leiterplattenkontakt
09320006205XL	Han C F Crimpkontakt 2,5 mm ² Ag-SMC
09320006207XL	Han C F Crimpkontakt 4 mm ² Ag-SMC
09320006208XL	Han C-Kontaktbuchse-c 6mm ² (1000St.)
09320006271	Han C-Kontaktbuchse Lötanschluss 2,5mm ²
09320006298	Han C-Keilkontakt-c 6mm ²
09320006304	Han C-Kontaktstift-c 1,5mm ² (GT)
09320006390	Han C-Axialschraubkontakt-Sti- 4-6mm ²
09320006404	Han C-Kontaktbuchse-c 1,5mm ² (GT)
09320006490	Han C-Axialschraubkontakt-Bu- 4-6mm ²

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

09322006116	Han C M Crimpkontakt 3 mm ² Au/HMC
09322006124	Han C-HMC-MC-1,5 mm ² -Au-pre 2 mm
09322006125	Han C-HMC-MC-2,5 mm ² -Au-pre 2 mm
09322006127	Han C-HMC-MC-4 mm ² -Au-pre 2 mm
	Han C-HMC-MC-10mm ² -Au-pre2mm-Kegelspitze
09322006130	
09322006226	Han C F Crimpkontakt 3 mm ² Au/HMC
38320006104	Han Sino C contact m 1,5 mm ²
38320006105	,Han Sino C contact m 2,5 mm ²
38320006107	Han Sino C contact m 4 mm ²
38320006108	Han Sino C contact m 6 mm ²
38320006204	Han Sino C contact f 1,5 mm ²
38320006205	Han Sino C contact f 2,5 mm ²
38320006207	Han Sino C contact f 4 mm ²
38320006208	Han Sino C contact f 6 mm ²
10410000002	Han-Eco Monoblock KIT 2 (06B gg)
10410000005	Han-Eco Monoblock KIT 5 (16B gs)
19410009967	Han-Eco Mod.6-Schnur mit Sperrpin
19410009968	Han-Eco Mod.10-Schnur mit Sperrpin
19410009969	Han-Eco Mod.16-Schnur mit Sperrpin
19410060277	Han-Eco Mod.6-ASG2-M32-komp. mit KG
19410060452	Han-Eco Mod.6-TGG-grau-M32
19410061301	Han-Eco Mod.6-AGG-Balken Front
19410062301	Han-Eco Mod.6-AGG-Balken Seite
19410100331	Han-Eco Mod.10-AGG-grau
19410100452	Han-Eco Mod.10-TGG-M32-grau
19410100552	Han-Eco Mod.10-TGS-M32-grau
19410103422	Han-Eco Mod.10-TGG-M32-mit QB
19410161301	Han-Eco Mod.16-AGG-Balken Front
19410162301	Han-Eco Mod.16-AGG-Balken Seite
19410240424	Han-Eco Mod.24-TGG-Edelstahlrahmen-M40
19410240525	Han-Eco Mod.24-TGS-Edelstahlrahmen-M40
19410240533	Han-Eco Mod.24-TGS-grau-M40
19411061422	Han-Eco Mod.6-TGG-M32-Balken Front-KV
19411062422	Han-Eco Mod.6-TGG-M32-Balken Seite-KV
19411161423	Han-Eco Mod.16-TGG-M40-Balken Front-KV
19411162423	Han-Eco Mod.16-TGG-M40-Balken Seite-KV
19412060722	Han-Eco Mod.6 Outd.-KG-M32
19412060727	Han-Eco Mod.6 Outd.-HCC-M32
19412100272	Han-Eco Mod.10 Outd.-ASG2-M32
19412100727	Han-Eco Mod.10 Outd.-KG-M32-f. Sperrpin
19412105402	Han-Eco Mod.10 Outd.-K-f. UT-m/Schn. V2A
19412105403	Han-Eco Mod.10 Outd.-K-f. Schn. V2A
19412105408	Han-Eco Mod.10 Outd.-K-f. TG-m/Schn. V2A
19412160727	Han-Eco Mod.16 Outd.-KG-M40-f. Sperrpin
19412165403	Han-Eco Mod.16 Outd.-K-f. UT-m/Schn. V2A

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19412165406	Han-Eco Mod.16 Outd.-K-f. TGG/TGS
19412165408	Han-Eco Mod.16 Outd.-K-f. TG-m/Schn. V2A
19412240273	Han-Eco Mod.24 Outd.-ASG2-M40
19412245402	Han-Eco Mod.24 Outd.-K-f. UT-m/Schn. V2A
19412245408	Han-Eco Mod.24 Outd.-K-f. TG-m/Schn. V2A
19430060757	Han-Eco 6B-KG-mit LB-M32
19430100227	Han-Eco 10B-ASG1-für QB-M32 mit Kappe
19430100267	Han-Eco 10B-ASG2-für QB-M32 mit Kappe
19430100270	Han-Eco 10B-ASG2-mit QB-M20
19430100290	Han-Eco 10B-ASG2-mit LB-M20
19430100755	Han-Eco 10B-KG-mit LB-M20
19430100756	Han-Eco 10B-KG-mit LB-M25
19430160225	Han-Eco 16B-ASG1-für QB-M20 mit Kappe
19430160228	Han-Eco 16B-ASG1-für QB-M40 mit Kappe
19430160265	Han-Eco 16B-ASG2-für QB-M20 mit Kappe
19430160267	Han-Eco 16B-ASG2-für QB-M32 mit Kappe
19430160268	Han-Eco 16B-ASG2-für QB-M40 mit Kappe
19430160291	Han-Eco 16B-ASG2-mit LB-M25
19430160298	Han-Eco 16B-ASG2-mit LB-M40 mit Kappe
19430160312	Han-Eco 16B-AGG/RM-für QB-mit Kappe
19430240228	Han-Eco 24B-ASG1-für QB-M40 mit Kappe
19430240257	Han-Eco 24B-ASG1-mit LB-M32-m. Kappe
19430240268	Han-Eco 24B-ASG2-für QB-M40 mit Kappe
19430240271	Han-Eco 24B-ASG2-mit QB-M25
19430240291	Han-Eco 24B-ASG2-mit LB-M25
19430240296	Han-Eco 24B-ASG2-mit LB-M25-m. Kappe
19430240312	Han-Eco 24B-AGG/RM-für QB-mit Kappe
19430240538	Han-Eco 24B-GS-mit QB-M40
19430240738	Han-Eco 24B-KG-mit QB-M40
19431060290	Han-Eco 6B-ASG2-mit LB-M20-m. KV
19431060292	Han-Eco 6B-ASG2-mit LB-M32-m. KV
19431060295	Han-Eco 6B-ASG2-m. LB-M20 m. Kap.-KV
19431100227	Han-Eco 10B-ASG1-für QB-M32-m. Kap.-KV
19431100233	Han-Eco 10B-ASG1-mit QB-M40-m. KV
19431100255	Han-Eco 10B-ASG1-mit LB-M20-m. Kap.-KV
19431100267	Han-Eco 10B-ASG2-für QB-M32-m. Kap.-KV
19431100291	Han-Eco 10B-ASG2-mit LB-M25-m. KV
19431100296	Han-Eco 10B-ASG2-mit LB-M25-m. Kap.-KV
19431160228	Han-Eco 16B-ASG1-für QB-M40-m. Kap.-KV
19431160256	Han-Eco 16B-ASG1-mit LB-M25-m. Kap.-KV
19431160268	Han-Eco 16B-ASG2-für QB-M40-m. Kap.-KV
19431160272	Han-Eco 16B-ASG2-mit QB-M32-m. KV
19431160273	Han-Eco 16B-ASG2-mit QB-M40-m. KV
19431160291	Han-Eco 16B-ASG2-mit LB-M25-m. KV
19431160292	Han-Eco 16B-ASG2-mit LB-M32-m. KV
19431160293	Han-Eco 16B-ASG2-mit LB-M40-m. KV

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19431160298	Han-Eco 16B-ASG2-mit LB-M40-m. Kap.-KV
19431160538	Han-Eco 16B-GS-mit QB-M40-m. KV
19431240228	Han-Eco 24B-ASG1-für QB-M40-m. Kap.-KV
19431240251	Han-Eco 24B-ASG1-mit LB-M25-m. KV
19431240267	Han-Eco 24B-ASG2-für QB-M32-m. Kap.-KV
19431240268	Han-Eco 24B-ASG2-für QB-M40-m. Kap.-KV
19431240271	Han-Eco 24B-ASG2-mit QB-M25-m. KV
19431240272	Han-Eco 24B-ASG2-mit QB-M32-m. KV
19431240291	Han-Eco 24B-ASG2-mit LB-M25-m. KV
19431240292	Han-Eco 24B-ASG2-mit LB-M32-m. KV
19431240293	Han-Eco 24B-ASG2-mit LB-M40-m. KV
19431240296	Han-Eco 24B-ASG2-mit LB-M25-m. Kap.-KV
19431240297	Han-Eco 24B-ASG2-mit LB-M32-m. Kap.-KV
19431240298	Han-Eco 24B-ASG2-mit LB-M40-m. Kap.-KV
19432009801	Han-Eco 6B Outd-Flanschdichtung
19432009802	Han-Eco 10B Outd-Flanschdichtung
19432009803	Han-Eco 16B Outd-Flanschdichtung
19432009804	Han-Eco 24B Outd-Flanschdichtung
19432060250	Han-Eco 6B Outd-ASG1-mit LB-M20
19432060251	Han-Eco 6B Outd-ASG1-mit LB-M25
19432060252	Han-Eco 6B Outd-ASG1-mit LB-M32
19432060255	Han-Eco 6B Outd-ASG1-m. LB-M20-m. Kappe
19432060290	Han-Eco 6B Outd-ASG2-mit LB-M20
19432060291	Han-Eco 6B Outd-ASG2-mit LB-M25
19432060295	Han-Eco 6B Outd-ASG2-m. LB-M20-m. Kappe
19432060296	Han-Eco 6B Outd-ASG2-m. LB-M25-m. Kappe
19432060297	Han-Eco 6B Outd-ASG2-m. LB-M32-m. Kappe
19432060756	Han-Eco 6B Outd-KG-mit LB-M25
19432060757	Han-Eco 6B Outd-KG-mit LB-M32
19432100232	Han-Eco 10B Outd-ASG1-mit QB-M32
19432100250	Han-Eco 10B Outd-ASG1-mit LB-M20
19432100251	Han-Eco 10B Outd-ASG1-mit LB-M25
19432100252	Han-Eco 10B Outd-ASG1-mit LB-M32
19432100255	Han-Eco 10B Outd-ASG1-m. LB-M20-m. Kap.
19432100256	Han-Eco 10B Outd-ASG1-m. LB-M25-m. Kap.
19432100257	Han-Eco 10B Outd-ASG1-m. LB-M32-m. Kap.
19432100270	Han-Eco 10B Outd-ASG2-mit QB-M20
19432100271	Han-Eco 10B Outd-ASG2-mit QB-M25
19432100272	Han-Eco 10B Outd-ASG2-mit QB-M32
19432100290	Han-Eco 10B Outd-ASG2-mit LB-M20
19432100291	Han-Eco 10B Outd-ASG2-mit LB-M25
19432100292	Han-Eco 10B Outd-ASG2-mit LB-M32
19432100295	Han-Eco 10B Outd-ASG2-m. LB-M20-m. Kap.
19432100297	Han-Eco 10B Outd-ASG2-m. LB-M32-m. Kap.
19432100322	Han-Eco 10B Outd-AGG-für QB-mit Kappe
19432100330	Han-Eco 10B Outd-AGG/RM-mit LB

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19432100755	Han-Eco 10B Outd-KG-mit LB-M20
19432100756	Han-Eco 10B Outd-KG-mit LB-M25
19432100757	Han-Eco 10B Outd-KG-mit LB-M32
19432160232	Han-Eco 16B Outd-ASG1-mit QB-M32
19432160233	Han-Eco 16B Outd-ASG1-mit QB-M40
19432160251	Han-Eco 16B Outd-ASG1-mit LB-M25
19432160253	Han-Eco 16B Outd-ASG1-mit LB-M40
19432160256	Han-Eco 16B Outd-ASG1-m. LB-M25-m. Kap.
19432160257	Han-Eco 16B Outd-ASG1-m. LB-M32-m. Kap.
19432160271	Han-Eco 16B Outd-ASG2-mit QB-M25
19432160272	Han-Eco 16B Outd-ASG2-mit QB-M32
19432160273	Han-Eco 16B Outd-ASG2-mit QB-M40
19432160291	Han-Eco 16B Outd-ASG2-mit LB-M25
19432160292	Han-Eco 16B Outd-ASG2-mit LB-M32
19432160293	Han-Eco 16B Outd-ASG2-mit LB-M40
19432160297	Han-Eco 16B Outd-ASG2-m. LB-M32-m. Kap.
19432160298	Han-Eco 16B Outd-ASG2-m. LB-M40-m. Kap.
19432160322	Han-Eco 16B Outd-AGG-für QB-mit Kappe
19432240231	Han-Eco 24B Outd-ASG1-mit QB-M25
19432240233	Han-Eco 24B Outd-ASG1-mit QB-M40
19432240251	Han-Eco 24B Outd-ASG1-mit LB-M25
19432240252	Han-Eco 24B Outd-ASG1-mit LB-M32
19432240256	Han-Eco 24B Outd-ASG1-m. LB-M25-m. Kap.
19432240257	Han-Eco 24B Outd-ASG1-m. LB-M32-m. Kap.
19432240258	Han-Eco 24B Outd-ASG1-m. LB-M40-m. Kap.
19432240271	Han-Eco 24B Outd-ASG2-mit QB-M25
19432240272	Han-Eco 24B Outd-ASG2-mit QB-M32
19432240273	Han-Eco 24B Outd-ASG2-mit QB-M40
19432240291	Han-Eco 24B Outd-ASG2-mit LB-M25
19432240292	Han-Eco 24B Outd-ASG2-mit LB-M32
19432240293	Han-Eco 24B Outd-ASG2-mit LB-M40
19432240296	Han-Eco 24B Outd-ASG2-m. LB-M25-m. Kap.
19432240297	Han-Eco 24B Outd-ASG2-m. LB-M32-m. Kap.
19432240298	Han-Eco 24B Outd-ASG2-m. LB-M40-m. Kap.
19432240322	Han-Eco 24B Outd-AGG-für QB-mit Kappe
19432240330	Han-Eco 24B Outd-AGG/RM-mit LB
19432240738	Han-Eco 24B Outd-KG-mit QB-M40
19432240757	Han-Eco 24B Outd-KG-mit LB-M32
19432240758	Han-Eco 24B Outd-KG-mit LB-M40
19433060251	Han-Eco 6B Outd-ASG1-mit LB-M25-m. KV
19433060257	Han-Eco 6B Outd-ASG1-m. LB-M32-Kap.-KV
19433060291	Han-Eco 6B Outd-ASG2-mit LB-M25-m. KV
19433060292	Han-Eco 6B Outd-ASG2-mit LB-M32-m. KV
19433060296	Han-Eco 6B Outd-ASG2-m. LB-M25-Kap.-KV
19433060297	Han-Eco 6B Outd-ASG2-m. LB-M32-Kap.-KV
19433060757	Han-Eco 6B Outd-KG-mit LB-M32-m. KV

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19433100227	Han-Eco 10B Outd.-ASG1-f. QB-M32-Kap.-KV
19433100230	Han-Eco 10B Outd-ASG1-mit QB-M20-m. KV
19433100250	Han-Eco 10B Outd-ASG1-mit LB-M20-m. KV
19433100251	Han-Eco 10B Outd-ASG1-mit LB-M25-m. KV
19433100252	Han-Eco 10B Outd-ASG1-mit LB-M32-m. KV
19433100255	Han-Eco 10B Outd-ASG1-m. LB-M20-Kap.-KV
19433100267	Han-Eco 10B Outd.-ASG2-f. QB-M32-Kap.-KV
19433100270	Han-Eco 10B Outd-ASG2-mit QB-M20-m. KV
19433100271	Han-Eco 10B Outd-ASG2-mit QB-M25-m. KV
19433100272	Han-Eco 10B Outd-ASG2-mit QB-M32-m. KV
19433100290	Han-Eco 10B Outd-ASG2-mit LB-M20-m. KV
19433100291	Han-Eco 10B Outd-ASG2-mit LB-M25-m. KV
19433100295	Han-Eco 10B Outd-ASG2-m. LB-M20-Kap.-KV
19433160228	Han-Eco 16B Outd.-ASG1-f. QB-M40-Kap.-KV
19433160232	Han-Eco 16B Outd-ASG1-mit QB-M32-m. KV
19433160251	Han-Eco 16B Outd-ASG1-mit LB-M25-m. KV
19433160253	Han-Eco 16B Outd-ASG1-mit LB-M40-m. KV
19433160256	Han-Eco 16B Outd-ASG1-m. LB-M25-Kap.-KV
19433160268	Han-Eco 16B Outd.-ASG2-f. QB-M40-Kap.-KV
19433160272	Han-Eco 16B Outd-ASG2-mit QB-M32-m. KV
19433160291	Han-Eco 16B Outd-ASG2-mit LB-M25-m. KV
19433160292	Han-Eco 16B Outd-ASG2-mit LB-M32-m. KV
19433160293	Han-Eco 16B Outd-ASG2-mit LB-M40-m. KV
19433160296	Han-Eco 16B Outd-ASG2-m. LB-M25-Kap.-KV
19433160298	Han-Eco 16B Outd-ASG2-m. LB-M40-Kap.-KV
19433240227	Han-Eco 24B Outd-ASG1-für QB-M32-Kap.-KV
19433240231	Han-Eco 24B Outd-ASG1-mit QB-M25-m. KV
19433240251	Han-Eco 24B Outd-ASG1-mit LB-M25-m. KV
19433240253	Han-Eco 24B Outd-ASG1-mit LB-M40-m. KV
19433240271	Han-Eco 24B Outd-ASG2-mit QB-M25-m. KV
19433240272	Han-Eco 24B Outd-ASG2-mit QB-M32-m. KV
19433240273	Han-Eco 24B Outd-ASG2-mit QB-M40-m. KV
19433240291	Han-Eco 24B Outd-ASG2-mit LB-M25-m. KV
19433240292	Han-Eco 24B Outd-ASG2-mit LB-M32-m. KV
19433240293	Han-Eco 24B Outd-ASG2-mit LB-M40-m. KV
19433240296	Han-Eco 24B Outd-ASG2-m. LB-M25-Kap.-KV
19433240297	Han-Eco 24B Outd-ASG2-m. LB-M32-Kap.-KV
19433240737	Han-Eco 24B Outd-KG-mit QB-M32-m. KV
19460009992	Han-Eco 10A-Flanschdichtung
19460009993	Han-Eco 16A-Flanschdichtung
19460009996	Han-Eco 10A Profildgummidichtung
19460100252	Han-Eco 10A-ASG1-M20 mit Kappe
19460100292	Han-Eco 10A-ASG2-M20 mit Kappe
19460100293	Han-Eco 10A-ASG2-M25 mit Kappe
19460105423	Han Eco 10A-Kappe mit Laengsbuegel
19460160251	Han-Eco 16A-ASG1-M25

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

19460160252	Han-Eco 16A-ASG1-M20 mit Kappe
19460160253	Han-Eco 16A-ASG1-M25 mit Kappe
19460160292	Han-Eco 16A-ASG2-M20 mit Kappe
19460160293	Han-Eco 16A-ASG2-M25 mit Kappe
19460165423	Han Eco 16A-Kappe mit Laengsbuegel
19461100290	Han-Eco 10A-ASG2-M20 m. Kabelv.
19461100292	Han-Eco 10A-ASG2-M20 m. Kappe/Kabelv.
19461160252	Han-Eco 16A-ASG1-M20 m. Kappe/Kabelv.
19461160290	Han-Eco 16A-ASG2-M20 m. Kabelv.
19461160291	Han-Eco 16A-ASG2-M25 m. Kabelv.
19461160292	Han-Eco 16A-ASG2-M20 m. Kappe/Kabelv.
19463100253	Han-Eco Outdoor 10A-ASG1-M25 m. Ka./Kab.
19463100292	Han-Eco Outdoor 10A-ASG2-M20 m. Ka./Kab.
19463100293	Han-Eco Outdoor 10A-ASG2-M25 m. Ka./Kab.
19463160252	Han-Eco Outdoor 16A-ASG1-M20 m. Kap./Kab
19463160292	Han-Eco Outdoor 16A-ASG2-M20 m. Kap./Kab
19463160293	Han-Eco Outdoor 16A-ASG2-M25 m. Kap./Kab
19410103601	Han-Eco Mod.10E-LMC-SE-SCA
19410103701	Han-Eco Mod.10E-LMC-BE-SCA
19410143601	Han-Eco Mod.14E-LMC-SE-SCA
19410143701	Han-Eco Mod.10E-LMC-BE-SCA
19410203601	Han-Eco Mod.20E-LMC-SE-SCA
19410203701	Han-Eco Mod.20E-LMC-BE-SCA
19410283601	Han-Eco Mod.28E-LMC-SE-SCA
19410283701	Han-Eco Mod.28E-LMC-MI-SCT
19440030302	Han-INOX 3A-agg Bügel gedreht
09000005212	Schirmbügel Han 46EE-VV
09000005343	SCHELLE FUER 4MM KABELDURCH-
09000005349	Schelle für Kabeldurchmesser 10mm
09360005132	ZWISCHENSTUTZEN PG 13,5
09380009901	2 Stück Seitenteile für Prüfadapter
19000005177	Han CGM-P M32x1,5 D.18-25mm sw, o. Logo
09000005125	UNI-DICHT-KABELVERSCHR. PG29
19000005081XL	Kabelverschraubung M20 VPE 450
19000005087	Kabelverschraubung M50, 25-38mm Metall
19000005091XL	Kabelverschraubung M25 VPE 250
19000005095XL	Kabelverschraubung M32 VPE 170
09930000201	Kunststoffgehäuse ECOFAST (Großverp.425)
09930000502	Deckel (Asi) ECOFAST (Großverp. 425 St)
09120009966	Han Power S Durchführungsdichtung 10-13
09120009968	Han Power S Blindstopfen
09120009972SI	Han Power S Dichtungssatz 16-19
09120009973SI	Han Power S Dichtungssatz 19-22
09120084602	Han Power S Deckel
09120084651	Han-Power S PCB
09120084721	Han-Power T Han Q 4/2 Metall rot

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

09120084722	Han-Power T Mod twin rot 120V CC Modul
09120084723	Han-Power T mit Q4/2 220V grau
09120084759	Han Power T Q2/0 kundenspezifisch
09120084761	Han Power T Modular Twin Dual Chanel
09120084769	Han Power T - Geh. f. Modular Twin
09120084771	Han PushPull Power T 230V
09120084818	Han-Power S mit 1x Han Q4/2-bu; 4-6mm ²
09120084825	Han-Power S mit 1x Han Q4/2-bu; 4-6 mm ²
09120084835	Han-Power S mit 2x Han Q5/0
09930009901	Montageadapter (ECOFAST)
39500010004SP	Steckdosenmodul USA/Japan (NEMA 5-15)
39500010021	Steckdosenmodul Frankreich
39500020162	Datenmodul (2xRJ45+1xD-Sub9 Bu/Sti)
39500120458	Han-Port Kombieinsatz CHN/2 HIFF Modul
11000009507	Han-Yellock Fixierband
11003009504	Han-Yellock 30-Dichtung WDF-Gehäuse
11006009504	Han-Yellock 60-Dichtung WDF-Gehäuse
11123000114	Han-Yellock tg30 Druckkopf metalisiert
11123001216	Han Yellock 30ASG 2xM32 mit Anbaugehäuse
11123005452	Han-Yellock 30 Abdeckkappe für Gehäuse h
11126000106	Han-Yellock 60-tg FKM Knopfdichtung
11126000114	Han-Yellock tg60 Druckkopf metalisiert
11126001482	Han-Yellock 60-Haube-EMV-gg-M32
11126001511	Han-Yellock gs60-M25-weiss
11126001523	Han-Yellock gs60-M40 -blau
11126001702	Han-Yellock 60-Durchführungsgehäuse-M32
11126005452	Han-Yellock 60 Abdeckkappe für Gehäuse h
11133001702	Han-Yellock 30M Durchführungsgehäuse M32
11136001403	Han-Yellock 60M-hood-M40 straight
11136001711	Han-Yellock 60M Durchführsgeh. 2xM25
20990003021	Musterkoffer Han-Yellock Applikation
11000009601	Han-Yellock Aufkleber 500St/Rolle
11051053012	Han-Yellock Modul M-c, rot
09330009965	Han 10E-AV Adapterblock SK f. Bez.Schild
09330009966	Han 16E-AV Adapterblock SK f. Bez.Schild
09330009967	Han 24E-AV Adapterblock SK f. Bez.Schild
09330009973	Han ES-AV SK Bez.-Schild 64St 6x15mm
09210404612	Han 40D-AV-M-RECHTS-SK
09330064635	Han 6E-AV-M-RECHTS-MK
09330104626	Han 10E-AV-M-LINKS-SK
3904109120450	T1 Device Shielding on tape, plaring
7401MET000400	Base kombibox with sealing ring
7401MET000500	Cover kombibox type A
7401MET000600	Cover kombibox type B
7401MET000700	Cover kombibox type C
09330109913	Überwachungskab. Han 10E Var.I kpl nRoHS

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

20210011012	LWL KABEL SERCOS 3,6 MM PUR
20210011013	LWL-Kabel SERCOS 6,0mm PUR (100m Ring)
20230231003	Hybridkabel Safety Bus P 100 m Ring
20230411023	Hybridkabel 2*POF+4*1,5Cu (Desina)500mRo
29886110020	Systemkab.Han-Brid/Cu Fa. MURR 2,0m
29886110050	Systemkab.Han-Brid/Cu Fa. MURR 5,0m
29886110350	System cable Han Brid
29886110600	System cable Han Brid
MUSTER_KABEL	Muster_Kabel
7410014174006	HPR 34 V-Hood of network set of E51 pro
7410014174007	HPR 34 housing of network set of E51 pro
7410014174008	HPR 34 V-hood set of Jiyao set of E51 pr
7410014174009	HPR 34 housing of Jiyao set of E51 proje
74100334433	HSG set for power, 4x650HC????????
74100334434	HSG set for power, 4x650HC????????
10223000002	Han-Yellock 30 Kit, Modular, gerade
10226000001	Han-Yellock 60 Kit, Modular, gewinkelt
10226000002	Han-Yellock 60 Kit, Modular, gerade
73421810001	40A Male Housing Kit (Bulkhead Side)
73421810002	40A Female Hood Kit (Cable Side)
73421810004	40A Female Housing Kit (Bulkhead Side)
73421810006	100A Female Hood Kit (Cable Side)
73421810007	100A Male Hood Kit (Cable Side)
73421810008	100A Female Housing Kit (Bulkhead Side)
73421810011	40A Male Housing Kit (Bulkhead Side) 4mm
73421810013	40A Male Hoot Kit for PCB (Cable Side)
73421810014	40A Female Housing Kit PCB Bulkhead Side
73421810024	40A Female Housing Kit (Bulkhead Side)
73421810025	100A M Male Housing Kit (Bulkhead Side)
73421810026	100A F Housing Kit (Cable Side)
73421810027	100A M Housing Kit (Cable Side)
73421810028	100A F Housing Kit (Bulkhead Side)
73421810032	40A Female Hood Kit (Cable Side)
73421810034	40A Female Housing Kit PCB Bulkhead Side
73421820001	Kit 6B Eco-70Amp Crimp-male side
73421820002	Kit 6B Eco-70Amp Crimp-female side
73422000035	Han-Eco kit for 30A/32A IEC60309
73422000036	Han-Eco kit 30A NEMA L21-30P
73422000055	Han-Eco kit enlarged 6mm² M40 20-26mm
73422000059	Han-Eco kit enlarged 6mm² M40 w/o gland
73422000135	Han-Eco 10B kit (OD 22-32mm)
73422002001	Han-Eco 6B kit PMDU side
73422002002	Han-Eco kit 6B 16mm² M40 22-32mm w DL
SDE41000000031	DUMMY S9GK
SETS_TMP_DE41	HARTING Set

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Termination Notification	PTN
--	---	------------

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)